

HEDIS 2009 Summary Table of Measures, Product Lines and Changes

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Guidelines for Effectiveness of Care Measures	✓	✓	✓	<ul style="list-style-type: none"> No changes for 2009.
Adult BMI Assessment	✓	✓	✓	<ul style="list-style-type: none"> First-year measure.
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	✓	✓		<ul style="list-style-type: none"> First-year measure.
Childhood Immunization Status	✓	✓		<ul style="list-style-type: none"> Revised the required number of doses for the Hib vaccine, per ACIP recommendations to defer the third Hib booster during vaccine shortage. Deleted ICD-9-CM Procedure code 99.37 from Table CIS-A. Vaccine for acellular pertussis antigen only is no longer produced. Clarified medical record review requirements for immunizations documented using a generic header of "DTaP/DTP/DT."
Lead Screening in Children		✓		<ul style="list-style-type: none"> No changes to this measure.
Breast Cancer Screening	✓	✓	✓	<ul style="list-style-type: none"> Removed age stratifications. Added HCPCS codes G0204, G0206 to Table BCS-A. Added UB-04 Revenue code 0401 to Table BCS-A. Deleted CPT code 76083 from Table BCS-A.
Cervical Cancer Screening	✓	✓		<ul style="list-style-type: none"> Added LOINC code 47528-5 to Table CCS-A. Added CPT codes 58570–58573 to Table CCS-B.
Colorectal Cancer Screening	✓		✓	<ul style="list-style-type: none"> Added HCPCS code G0394 to Table COL-A. Clarified when "result" is required in the medical record documentation.
Chlamydia Screening in Women	✓	✓		<ul style="list-style-type: none"> Decreased upper age limit to 24 years. Added ICD-9-CM Diagnosis code V73.81 to Table CHL-B. Deleted ICD-9-CM Diagnosis code 078.10, 078.19 from Table CHL-B. Added LOINC codes 47527-7, 47528-5 to Table CHL-B.
Glaucoma Screening in Older Adults			✓	<ul style="list-style-type: none"> No changes to this measure.
Care for Older Adults			✓	<ul style="list-style-type: none"> First-year measure for Medicare SNP benefit packages only. CPT Category II codes are in the process of being developed and will most likely be included in the Volume 2 <i>Technical Update</i>.

Current Procedural Terminology © 2008 American Medical Association. All rights reserved.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Appropriate Testing for Children With Pharyngitis	✓	✓		<ul style="list-style-type: none"> Deleted CPT code 99499 from Table CWP-B.
Appropriate Treatment for Children With Upper Respiratory Infection	✓	✓		<ul style="list-style-type: none"> Deleted CPT code 99499 from Table URI-B.
Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis	✓	✓		<ul style="list-style-type: none"> Deleted CPT code 99499 from Table AAB-B. Deleted optional data elements in Table AAB-1/2.
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	✓	✓	✓	<ul style="list-style-type: none"> Added CPT code 94375 to Table SPR-B.
Pharmacotherapy of COPD Exacerbation	✓	✓	✓	<ul style="list-style-type: none"> Limited acute inpatient visit codes used in Step 1 to UB Revenue codes; deleted CPT codes. Added optional data element to Table PCE-1/2/3.
Use of Appropriate Medications for People With Asthma	✓	✓		<ul style="list-style-type: none"> Clarified dispensing event and inhaler dispensing event criteria. Clarified in step 2 that a member prescribed a leukotriene modifiers only need at least one diagnosis of asthma in the same year as the leukotriene modifier dispensing event. Deleted CPT code 99499 from Table ASM-B.
Cholesterol Management for Patients With Cardiovascular Conditions	✓	✓	✓	<ul style="list-style-type: none"> Deleted CPT codes 35600, 33572, 92981, 92984, 92996 from Table CMC-A. Deleted ICD-9-CM Procedure codes 36.01, 36.02, 36.05 from Table CMC-A. Added ICD-9-CM Diagnosis codes 414.2, 440.4 to Table CMC-B. Deleted DRGs from Tables CMC-A, CMC-B. Deleted CPT code 99499 from Table CMC-C. Deleted CPT codes 83715, 83716 from Table CMC-D. Removed two data elements from <i>Table CMC-1/2/3: Number of Administrative and Medical Records Excluded</i>.
Controlling High Blood Pressure	✓	✓	✓	<ul style="list-style-type: none"> Clarified that BP readings taken during an acute inpatient stay or ED visit should not be included. Added UB Type of Bill code 72x to Table CBP-C. Deleted DRGs from Table CBP-C. Added POS code 65 to Table CBP-C.
Persistence of Beta-Blocker Treatment After a Heart Attack	✓	✓	✓	<ul style="list-style-type: none"> Deleted DRGs from Table PBH-A. Separated exclusions into two tables: Table PBH-C and Table PBH-D.

Current Procedural Terminology © 2008 American Medical Association. All rights reserved.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Comprehensive Diabetes Care	✓	✓	✓	<ul style="list-style-type: none"> Added <i>amylin analogs</i> category to Table CDC-A. Deleted CPT code 99499 from Table CDC-C. Removed the requirement that HCPCS S0625 (Table CDC-G) be billed by an optometrist or ophthalmologist for the eye exam indicator. Added CPT codes 67041-67043, 67113 to Table CDC-G. Clarified the use of CPT Category II code 3072F in Table CDC-G. Deleted CPT codes 83715, 83716 from Table CDC-H. Deleted DRGs from Tables CDC-B, CDC-K. Added UB Type of Bill code 72x to Table CDC-K. Added POS code 65 to Table CDC-K. <p><i>Note: Because of the anticipated publication of several new, relevant studies, NCQA will review the HbA1c good control (<7.0%) indicator during summer 2008. Modifications to the indicator will be announced in the Volume 2 Technical Update.</i></p>
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis	✓	✓	✓	<ul style="list-style-type: none"> Deleted CPT code 99499 from Table ART-B.
Osteoporosis Management in Women Who Had a Fracture			✓	<ul style="list-style-type: none"> Added CPT codes 27267-26269 to Table OMW-A. Deleted DRGs from Table OMW-A.
Use of Imaging Studies for Low Back Pain	✓	✓		<ul style="list-style-type: none"> Deleted CPT code 99499 from Table LBP-B. Added ICD-9-CM Diagnosis code V10 to Table LBP-C.
Antidepressant Medication Management	✓	✓	✓	<ul style="list-style-type: none"> Retired Optimal Practitioner Contacts for Medication Management. Standardized definitions; new episode is now referred to as the <i>Index Episode Start Date (IESD)</i>. Deleted DRGs from Tables AMM-A, AMM-C. Added Table AMM-B: Codes to Identify Visit Type. Separated and de-duplicated codes for major depression (Table AMM-A) and depression (AMM-C). Removed exclusion for members who had inpatient stays for mental health or substance abuse during the 245 days after IESD.

Current Procedural Terminology © 2008 American Medical Association. All rights reserved.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Follow-Up Care for Children Prescribed ADHD Medication	✓	✓		<ul style="list-style-type: none"> Added <i>Table ADD-B: Codes to Identify Substance Abuse</i> and clarified codes to identify secondary diagnosis of chemical dependency. Added CPT codes 98966–98968, 99441–99443 to Table ADD-D.
Follow-Up After Hospitalization for Mental Illness	✓	✓	✓	<ul style="list-style-type: none"> Deleted DRGs from Tables FUH-A, FUH-B.
Annual Monitoring for Patients on Persistent Medications	✓	✓	✓	<ul style="list-style-type: none"> Added CPT code 80047 to Table MPM-A.
Medication Reconciliation Post-Discharge			✓	<ul style="list-style-type: none"> First-year measure for Medicare SNP benefit packages only. CPT Category II codes are in the process of being developed and aimed for inclusion in the Volume 2 <i>Technical Update</i>.
Potentially Harmful Drug-Disease Interactions in the Elderly			✓	<ul style="list-style-type: none"> Added CPT codes 27267–27269, 27767–27769 to Table DDE-A. Added UB Type of Bill code 72x to Table DDE-H. Added POS code 65 to Table DDE-H. Deleted DRGs from Table DDE-H.
Use of High-Risk Medications in the Elderly			✓	<ul style="list-style-type: none"> No changes to this measure.
Fall Risk Management			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Management of Urinary Incontinence in Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Osteoporosis Testing in Older Women			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Physical Activity in Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 6: Specifications for the Medicare Health Outcomes Survey</i>.
Flu Shots for Adults Ages 50–64	✓			<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.

Current Procedural Terminology © 2008 American Medical Association. All rights reserved.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Effectiveness of Care				
Flu Shots for Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
Medical Assistance With Smoking Cessation	✓	✓	✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
Pneumonia Vaccination Status for Older Adults			✓	<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
Access/Availability of Care				
Adults' Access to Preventive/ Ambulatory Health Services	✓	✓	✓	<ul style="list-style-type: none"> Deleted CPT codes 99301-99303, 99311-99313, 99321-99323, 99331-99333 from Table AAP-A. Added CPT codes 99315, 99316 to Table AAP-A. Consolidated rows and descriptions in Table AAP-A.
Children's and Adolescents' Access to Primary Care Practitioners	✓	✓		<ul style="list-style-type: none"> No changes to this measure.
Annual Dental Visit		✓		<ul style="list-style-type: none"> No changes to this measure.
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	✓	✓	✓	<ul style="list-style-type: none"> Added CPT codes 99408, 99409 to Table IET-B. Added HCPCS codes G0396, G0397 to Table IET-B. Deleted DRGs from Table IET-E.
Prenatal and Postpartum Care	✓	✓		<ul style="list-style-type: none"> Deleted DRGs from Table PPC-B. Added LOINC codes 47527-7, 47528-5 to Table PPC-E. Deleted CPT codes 88144, 88145 from Table PPC-E. Added examples of medical record documentation that meet criteria for notation of postpartum care. Clarified that two rates are reported (Table PPC-1/2). Removed two data elements from Table PPC-1/2: Number of administrative and medical records excluded.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Access/Availability of Care				
Call Abandonment	✓	✓	✓	<ul style="list-style-type: none"> Clarified reporting of calls that are sent directly to voicemail.
Call Answer Timeliness	✓	✓	✓	<ul style="list-style-type: none"> Clarified reporting of calls that are sent directly to voicemail.
Satisfaction With the Experience of Care				
CAHPS Health Plan Survey 4.0H, Adult Version	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
CAHPS Health Plan Survey 4.0H, Child Version	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
Children With Chronic Conditions	✓	✓		<ul style="list-style-type: none"> This measure is collected using survey methodology. Detailed specifications and summary of changes for the measure are contained in <i>HEDIS 2009, Volume 3: Specifications for Survey Measures</i>.
Use of Services				
Guidelines for Use of Services Measures	✓	✓	✓	<ul style="list-style-type: none"> Clarified that organizations should report Use of Services data in member months format for all product lines; IDSS produces data in member years format for commercial and Medicare product lines.
Frequency of Ongoing Prenatal Care		✓		<ul style="list-style-type: none"> Removed two data elements from <i>Table FPC-1: Number of Administrative and Medical Records Excluded</i>.
Well-Child Visits in the First 15 Months of Life	✓	✓		<ul style="list-style-type: none"> Removed two data elements from <i>Table W15-1/2: Number of Administrative and Medical Records Excluded</i>.
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	✓	✓		<ul style="list-style-type: none"> Removed two data elements from <i>Table W34-1/2: Number of Administrative and Medical Records Excluded</i>.
Adolescent Well-Care Visits	✓	✓		<ul style="list-style-type: none"> Removed two data elements from <i>Table AWC-1/2: Number of Administrative and Medical Records Excluded</i>.
Frequency of Selected Procedures	✓	✓	✓	<ul style="list-style-type: none"> Added CPT codes 58570–58573 to Table FSP-A. Added ICD-9-CM Procedure code 84.8 to Table FSP-A. Deleted CPT codes 19126, 19160, 19162, 19180, 19182, 19200, 19220, 19240, 22226, 22534, 22585, 22614, 22632, 35390, 92981, 92984, 92996 from Table FSP-A. Deleted ICD-9-CM Procedure codes 36.01, 36.02, 36.05 from Table FSP-A.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Use of Services				
Ambulatory Care	✓	✓	✓	<ul style="list-style-type: none"> Deleted redundant wording from the measure specification; the language edits are not intended to change the intent of the measure specification. Deleted CPT codes 99301–99303, 99311–99313, 99321–99323, 99331–99333, 99354, 99355, 99499 from Table AMB-A. Added CPT codes 99304–99310, 99315, 99316, 99318, 99324–99328, 99334–99337 to Table AMB-A. Consolidated rows and descriptions in Table AMB-A. Deleted CPT codes 93534-93536 from Table AMB-C. Converted exclusion criteria into table format.
Inpatient Utilization—General Hospital/ Acute Care	✓	✓	✓	<ul style="list-style-type: none"> Deleted redundant wording from the measure specification; the language edits are not intended to change the intent of the measure specification. Clarified that DRGs must be in conjunction with an Acute Inpatient Facility code. Deleted UB Type of Bill code 42x from Table IPU-A. Converted exclusion criteria into table format.
Inpatient Utilization—Nonacute Care	✓	✓	✓	<ul style="list-style-type: none"> Deleted redundant wording from the measure specification; the language edits are not intended to change the intent of the measure specification. Added UB Type of Bill code 28x to Table NON-A. Deleted CMS-DRG 462 from Table NON-A. Deleted MS-DRG 945, 946 from Table NON-A. Converted exclusion criteria into table format.
Identification of Alcohol and Other Drug Services	✓	✓	✓	<ul style="list-style-type: none"> Added CPT codes 99408, 99409 to Table IAD-D. Added HCPCS codes G0396, G0397 to Table IAD-D.
Mental Health Utilization	✓	✓	✓	<ul style="list-style-type: none"> No changes to this measure.
Antibiotic Utilization	✓	✓	✓	<ul style="list-style-type: none"> Added Total to the <i>Total Age</i> data element in Tables ABX-1/2/3 (a-c).
Outpatient Drug Utilization	✓	✓	✓	<ul style="list-style-type: none"> Changed age bands for member month reporting in Table ORX-1/2/3 to align with Table ABX-1/2/3.

Current Procedural Terminology © 2008 American Medical Association. All rights reserved.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Cost of Care				
Guidelines for Cost of Care Measures	✓	✓	✓	<ul style="list-style-type: none"> • Clarified guidelines for reporting the RRU measure and its related EOC measure with multiple indicators. • SPTs will be posted to NCOA's Web site (www.ncqa.org) on November 14, 2008.
Relative Resource Use for People With Diabetes	✓	✓	✓	<ul style="list-style-type: none"> • Deleted DRGs from Table RDI-B. • Added UB Type of Bill code 72x to Table RDI-B. • Added POS code 65 to Table RDI-B. • Deleted CPT code 99499 from Table RDI-E. • Deleted UB Type of Bill code 42x from Table RDI-H. • Clarified step 2 of the Asthma Comorbid Categorization. • Added required exclusions data element to Table RDI-1/2/3. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.
Relative Resource Use for People With Asthma	✓	✓		<ul style="list-style-type: none"> • Clarified in step 2 that a member prescribed a leukotriene modifiers only need at least one diagnosis of asthma in the same year as the leukotriene modifier dispensing event. • Added required exclusions data element to Table RAS-1/2. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.
Relative Resource Use for People With Acute Low Back Pain	✓	✓		<ul style="list-style-type: none"> • Condensed Table RLB-B. • Deleted UB Type of Bill code 42x from Table RLB-B. • Added required exclusions data element to Table RLB-1/2. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.
Relative Resource Use for People With Cardiovascular Conditions	✓	✓	✓	<ul style="list-style-type: none"> • Deleted DRGs from Table RCA-A. • Clarified step 2 of the Asthma Comorbid Categorization. • Added required exclusions data element to Table RCA-1/2/3. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.

HEDIS 2009 Summary Table of Measures, Product Lines and Changes (continued)

HEDIS 2009 Measures	Applicable to:			Changes to HEDIS 2009
	Commercial	Medicaid	Medicare	
Cost of Care				
Relative Resource Use for People With Uncomplicated Hypertension	✓	✓	✓	<ul style="list-style-type: none"> • The optional exclusion for identifying inpatient admissions refers organizations to a more comprehensive code table (Table FUH-B) to identify nonacute inpatient encounters. • Clarified step 2 of the Asthma Comorbid Categorization. • Added required exclusions data element to Table RHY-1/2/3. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.
Relative Resource Use for People With COPD	✓	✓	✓	<ul style="list-style-type: none"> • Clarified step 2 of the Asthma Comorbid Categorization. • Added required exclusions data element to Table RCO-1/2/3. • Added Total Standard Cost (PMPM) and Total Service Frequency (per 1,000 MY), Age and Gender data element table.
Health Plan Descriptive Information				
Board Certification	✓	✓	✓	<ul style="list-style-type: none"> • Clarified which physicians should be included in this measure. • Clarified how to report general practitioners.
Enrollment by Product Line	✓	✓	✓	<ul style="list-style-type: none"> • Organizations should report all product lines using member months. IDSS produces data in member years format for commercial and Medicare product lines.
Enrollment by State	✓	✓	✓	<ul style="list-style-type: none"> • No changes to this measure.
Language Diversity of Membership		✓	✓	<ul style="list-style-type: none"> • No changes to this measure.
Race/Ethnicity Diversity of Membership		✓	✓	<ul style="list-style-type: none"> • No changes to this measure.
Weeks of Pregnancy at Time of Enrollment		✓		<ul style="list-style-type: none"> • Deleted DRGs from Table WOP-A.
Health Plan Stability				
Years in Business/Total Membership	✓	✓	✓	<ul style="list-style-type: none"> • Clarified that organizations should complete this measure once, and report the information for each HEDIS submission. • Deleted <i>Self-Insured</i> field from Table YIB-1/2/3. Self-insured members who meet <i>General Guideline 24</i> criteria should be included in the applicable commercial product.
Informed Health Care Choices				<i>There are currently no measures in this domain.</i>