

SUMMARY TABLE OF PHYSICIAN MEASURE CHANGES

Measure Name	Changes
Effectiveness of Preventive Care	
Adult BMI Assessment	<ul style="list-style-type: none"> • New measure.
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents	<ul style="list-style-type: none"> • New measure.
Childhood Immunization Status	<ul style="list-style-type: none"> • Revised the required number of doses for the Hib vaccine, per ACIP recommendations to defer the third Hib booster during vaccine shortage. • Deleted CPT codes 90702, 90703, 90719 from Table CIS-A. • Deleted ICD-9-CM Procedure code 99.37 from Table CIS-A. Vaccine for acellular pertussis antigen only is no longer produced. • Deleted ICD-9-CM Procedure codes 99.36, 99.38 from Table CIS-A. • Clarified medical record review requirements for immunizations documented using a generic header of <i>DTaP/DTP/DT</i>.
Lead Screening in Children	<ul style="list-style-type: none"> • No changes to this measure.
Colorectal Cancer Screening	<ul style="list-style-type: none"> • Added HCPCS code G0394 to Table COL-A. • Added LOINC code 50196-5 to Table COL-A. • Clarified when result is required in the medical record documentation.
Breast Cancer Screening	<ul style="list-style-type: none"> • Removed age stratifications. • Added HCPCS codes G0204, G0206 to Table BCS-A. • Added UB Revenue code 0401 to Table BCS-A. • Deleted CPT code 76083 from Table BCS-A.
Cervical Cancer Screening	<ul style="list-style-type: none"> • Added LOINC code 47528-5 to Table CCS-A. • Deleted HCPCS code G0101 from CCS-A. • Added CPT codes 58570–58573 to Table CCS-B.

Measure Name	Changes
Effectiveness of Preventive Care	
Chlamydia Screening in Women	<ul style="list-style-type: none"> Decreased upper age limit to 24 years. Added ICD-9-CM Diagnosis code V73.81 to Table CHL-B. Deleted ICD-9-CM Diagnosis code 078.10, 078.19 from Table CHL-B. Added LOINC codes 34147-9, 34954-8, 40679-3, 40680-1, 41273-4, 41274-2, 43305-2, 43403-5, 43798-8, 44543-7, 44544-5, 44546-0, 44547-8, 44549-4, 44550-2, 44806-8, 44807-6, 45067-6, 45068-4, 45069-2, 45070-0, 45074-2, 45076-7, 45078-3, 45080-9, 45084-1, 45091-6, 45095-7, 45098-1, 45100-5, 45327-4, 45331-6, 45332-4, 46731-6, 46989-0, 47211-8, 47212-6, 47236-5, 47237-3, 47238-1, 47387-6, 47527-7, 47528-5, 48030-1, 48039-2, 48560-7, 48781-9, 49096-1, 49246-2, 49318-9, 49891-5, 49896-4, 50387-0, 50388-8, 50690-7, 51838-1, 51839-9 to Table CHL-B. Deleted LOINC codes 16602-5, 20993-2, 23908-7 from Table CHL-B. Added LOINC codes 44806-8, 44807-6, 45067-6, 45068-4, 45069-2, 45070-0, 45074-2, 45076-7, 45078-3, 45080-9, 45084-1, 45091-6, 45095-7, 45098-1, 45100-5, 47211-8, 47212-6, 49096-1, 50387-0 to Table CHL-C. Deleted LOINC codes 16602-5, 20993-2 from Table CHL-C.
Glaucoma Screening in Older Adults	<ul style="list-style-type: none"> No changes to this measure.
Use of High-Risk Medications in the Elderly	<ul style="list-style-type: none"> No changes to this measure.
Effectiveness of Acute Care	
Care for Older Adults	<ul style="list-style-type: none"> New measure.
Appropriate Treatment for Children With Upper Respiratory Infection	<ul style="list-style-type: none"> Deleted CPT code 99499 from Table URI-B.
Appropriate Testing for Children With Pharyngitis	<ul style="list-style-type: none"> Deleted CPT code 99499 from Table CWP-B. Added LOINC code 49610-9 to Table CWP-D. Deleted LOINC code 11475-1 from Table CWP-D.
Avoidance of Antibiotic Treatment in Adults With Acute Bronchitis	<ul style="list-style-type: none"> Deleted CPT code 99499 from Table AAB-B.
Use of Imaging Studies for Low Back Pain	<ul style="list-style-type: none"> Deleted CPT code 99499 from Table LBP-B. Added ICD-9-CM Diagnosis code V10 to Table LBP-C.
Comprehensive Back Pain Care	<ul style="list-style-type: none"> No changes to this measure.

Measure Name	Changes
Effectiveness of Chronic Care	
Persistence of Beta-Blocker Treatment After a Heart Attack	<ul style="list-style-type: none"> • Deleted DRGs from Table PBH-A. • Separated exclusions into two tables: Table PBH-C and Table PBH-D.
Controlling High Blood Pressure	<ul style="list-style-type: none"> • Clarified that BP readings taken during an acute inpatient stay or ED visit should not be included. • Added UB Type of Bill code 72x to Table CBP-C. • Deleted DRGs from Table CBP-C. • Added POS code 65 to Table CBP-C.
Cholesterol Management for Patients With Cardiovascular Conditions	<ul style="list-style-type: none"> • Deleted CPT codes 35600, 33572, 92981, 92984, 92996 from Table CMC-A. • Deleted ICD-9-CM Procedure codes 36.01, 36.02, 36.05 from Table CMC-A. • Added ICD-9-CM Diagnosis codes 414.2, 440.4 to Table CMC-B. • Deleted DRGs from Tables CMC-A, CMC-B. • Deleted CPT code 99499 from Table CMC-C. • Deleted CPT codes 83715, 83716 from Table CMC-D.
Comprehensive Ischemic Vascular Disease	<ul style="list-style-type: none"> • Deleted CPT Category II code 1034F from the Smoking Status and Cessation Advice or Treatment indicator. • Added Table IVD-A: Code to Identify Non-Smokers. • Added Table IVD-B: Codes to Identify Smoking Cessation Counseling and Treatment. • Added Table IVD-C: Codes to Identify Prescribed Oral Anti-Platelet Therapy. • Deleted CPT codes 35600, 33572, 92981, 92984, 92996 from Table IVD-D. • Deleted ICD-9-CM Procedure codes 36.01, 36.02, 36.05 from Table IVD-D. • Added ICD-9-CM Diagnosis codes 414.2, 440.4 to Table IVD-E. • Deleted DRGs from Tables IVD-A, IVD-E. • Deleted CPT code 99499 from Table IVD-F. • Added CPT codes 82465, 83701, 84478 to IVD-G.

Measure Name	Changes
Effectiveness of Chronic Care	
Comprehensive Adult Diabetes Care	<ul style="list-style-type: none"> • Added HbA1c control <8.0% and HbA1c control <7.0% as first year indicators. • Deleted CPT Category II code 1034F from the Smoking Status and Cessation Advice or Treatment indicator. • Deleted Codes to Identify LDL-C Screening, Codes to Identify LDL-C Levels and Codes to Identify Systolic and Diastolic BP Levels tables and referenced tables found in the CMC and IVD measures. • Added <i>amylin analogs</i> category to Table CDC-A. • Deleted CPT code 99499 from Table CDC-C. • Added Table CDC-F: Codes to Identify HbA1c Levels <8.0%. • Added Table CDC-G: Codes to Identify Additional Exclusions for the HbA1c Levels <7.0%. • For the eye exam indicator, removed the requirement that HCPCS S0625 (Table CDC-I) be billed by an optometrist or ophthalmologist. • Added CPT codes 67041-67043, 67113 to Table CDC-I. • Clarified the use of CPT Category II code 3072F in Table CDC-I. • Added LOINC codes 47558-2, 49023-5, 50561-0, 50949-7, 53121-0, 53525-2, 53530-2, 53531-0, 53532-8 to Table CDC-J. • Added LOINC codes 50556-0, 50561-0, 50564-4 to Table CDC-K. • Deleted DRGs from Tables CDC-B, CDC-K. • Added UB Type of Bill code 72x to Table CDC-K. • Added POS code 65 to Table CDC-K. • Added Table CDC-M: Code to Identify Foot Exam.
Use of Appropriate Medications for People With Asthma	<ul style="list-style-type: none"> • Clarified dispensing event and inhaler dispensing event criteria. • Clarified in step 2 that patients prescribed a leukotriene modifiers only need at least one diagnosis of asthma in the same year as the leukotriene modifier dispensing event. • Deleted CPT code 99499 from Table ASM-B.
Use of Spirometry Testing in the Assessment and Diagnosis of COPD	<ul style="list-style-type: none"> • Added CPT code 94375 to Table SPR-B.
Pharmacotherapy Management of COPD Exacerbation	<ul style="list-style-type: none"> • Limited the Acute Inpatient Visit codes used in Step 1 to UB Revenue codes; deleted CPT codes.
Follow-Up After Hospitalization for Mental Illness	<ul style="list-style-type: none"> • Deleted DRGs from Tables FUH-A, FUH-B. • Added UB Type of Bill code 28x to Table FUH-B. • Added POS codes 03, 09, 13, 14, 33 to FUH-C.

Measure Name	Changes
Effectiveness of Chronic Care	
Antidepressant Medication Management	<ul style="list-style-type: none"> • Retired Optimal Practitioner Contacts for Medication Management. • Standardized definitions; new episode is now referred to as the <i>Index Episode Start Date (IESD)</i>. • Deleted DRGs from Tables AMM-A, AMM-C. • Added Table AMM-B: Codes to Identify Visit Type. • Separated and de-duplicated codes for major depression (Table AMM-A) and depression (AMM-C). • Removed exclusion for patients who had inpatient stays for mental health or substance abuse during the 245 days after IESD.
Follow-Up Care for Children Prescribed ADHD Medication	<ul style="list-style-type: none"> • Added <i>Table ADD-B: Codes to Identify Substance Abuse</i> and clarified codes to identify secondary diagnosis of chemical dependency. • Added POS codes 03, 09, 13, 14, 33 to Table ADD-C. • Added CPT codes 98966–98968, 99441–99443 to Table ADD-D.
Osteoporosis Management in Women Who Had a Fracture	<ul style="list-style-type: none"> • Added CPT codes 27267-27269 to Table OMW-A. • Deleted DRGs from Table OMW-A. • Added CPT codes 26600, 26605, 26607, 26608, 26615, 28400, 28405, 28406, 28415, 28420, 28430, 28435, 28436, 28445, 28450, 28455, 28456, 28465, 28470, 28475, 28476, 28485, 29850, 29851, 29855, 29856 to Table OMW-A. • Added J code J3488 to Table OMW-C.
Disease Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis	<ul style="list-style-type: none"> • Deleted CPT code 99499 from Table ART-B.
Annual Monitoring for Patients on Persistent Medications	<ul style="list-style-type: none"> • Added CPT code 80047 to Table MPM-A. • Added LOINC codes 39789-3, 39790-1, 41656-0, 45064-3, 45065-0, 50261-7, 51618-7 to the <i>Serum potassium (K+)</i> row of Table MPM-A. • Add LOINC codes 31045-8, 35203-9, 39955-0, 39956-8, 39957-6, 39958-4, 39959-2, 39960-0, 39961-8, 39962-6, 39963-4, 39964-2, 39965-9, 39966-7, 39967-5, 39968-3, 39969-1, 39970-9, 39971-7, 39972-5, 39973-3, 39974-1, 39975-8, 39976-6, 40112-5, 40113-3, 40114-1, 40115-8, 40116-6, 40117-4, 40118-2, 40119-0, 40120-8, 40121-6, 40122-4, 40123-2, 40124-0, 40125-7, 40126-5, 40127-3, 40128-1, 40248-7, 40249-5, 40250-3, 40251-1, 40252-9, 40253-7, 40254-5, 40255-2, 40256-0, 40257-8, 40258-6, 40264-4, 40265-1, 40266-9, 40267-7, 40268-5, 40269-3, 40270-1, 40271-9, 40272-7, 40273-5, 44784-7, 45064-3, 45065-0, 45066-8, 50261-7, 50380-5, 50381-3, 51619-5, 51620-3 to the <i>Serum creatinine (SCr)</i> row of Table MPM-A. • Added LOINC codes 44734-2, 45064-3, 45065-0, 49071-4, 50261-7 to the <i>Blood urea nitrogen (BUN)</i> row of Table MPM-A. • Added LOINC code 40460-8 to the <i>Drug serum concentration for phenytoin</i> row of Table MPM-E. • Added LOINC code 47097-1 to the <i>Drug serum concentration for carbamazepine</i> row of Table MPM-E. • Deleted UB Type of Bill code 42x from Table MPM-F. • Deleted DRGs from Tables MPM-F, MPM-G.

Measure Name	Changes
Access/Availability of Care	
Potentially Harmful Drug-Disease Interactions in the Elderly	<ul style="list-style-type: none"> • New measure in Physician Measurement.
Medication Reconciliation Post-Discharge	<ul style="list-style-type: none"> • New measure.
Adults' Access to Preventive/ Ambulatory Health Services	<ul style="list-style-type: none"> • Deleted CPT codes 99301–99303, 99311–99313, 99321–99323, 99331–99333 from Table AAP-A. • Added CPT codes 99315, 99316 to Table AAP-A. • Consolidated rows and descriptions in Table AAP-A. • Added a total rate to the age stratification.
Children's and Adolescents' Access to Primary Care Practitioners	<ul style="list-style-type: none"> • No changes to this measure.
Prenatal and Postpartum Care	<ul style="list-style-type: none"> • Deleted DRGs from Table PPC-B. • Added LOINC codes 47307-4, 45326-6, 47363-7, 47430-4, 49539-0, 52976-8, 52984-2 to the <i>Cytomegalovirus</i> row of Table PPC-C for Decision Rule 2 and Decision Rule 3. • Added LOINC codes 43180-9, 44008-1, 44480-2, 44494-3, 44507-2, 45210-2, 47230-8, 48784-3, 49848-5, 50758-2, 51915-7, 51916-5, 52977-6, 52981-8, 53377-8, 53560-9 to the <i>Herpes simplex</i> row of Table PPC-C for Decision Rule 2 and Decision Rule 3. • Added LOINC codes 40667-8, 43810-1, 49107-6, 50694-9, 51931-4, 52986-7 to the <i>Rubella</i> row of Table PPC-C for Decision Rule 2 and Decision Rule 3. • Added LOINC codes 40697-5, 41123-1, 41124-9, 47389-2, 47390-0 to the <i>Toxoplasma</i> row of Table PPC-C for Decision Rule 2 and Decision Rule 3. • Deleted LOINC codes 15396-5, 23484-9, 24398-0, 24399-8, 33337-7, 40676-9 from the <i>Toxoplasma</i> row of Table PPC-C for Decision Rule 2 and Decision Rule 3. • Added LOINC codes 47527-7, 47528-5 to Table PPC-E. • Deleted CPT codes 88144, 88145 from Table PPC-E. • Added examples of medical record documentation that meet criteria for <i>notation of postpartum care</i>.
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment	<ul style="list-style-type: none"> • Added CPT codes 99408, 99409 to Table IET-B. • Added HCPCS codes G0396, G0397 to Table IET-B. • Added POS codes 03, 09, 13, 14, 33 to Table IET-B. • Deleted DRG codes from Table IET-E.

Measure Name	Changes
Access/Availability of Care	
Frequency of Ongoing Prenatal Care	• No changes to this measure.
Well-Child Visits in the First 15 Months of Life	• No changes to this measure.
Well-Child Visits in the Third, Fourth, Fifth and Sixth Years of Life	• No changes to this measure.
Adolescent Well-Care Visits	• No changes to this measure.
