

**APPENDIX 1:  
Proposed HEDIS/CAHPS Updates for 2023  
Health Plan Ratings  
(HEDIS MY 2022)**



**Recommended Changes to HEDIS/CAHPS Measure List**

- **Recommendation #1:** Revise the following measures/indicators for HPR 2023 (HEDIS MY 2022).

		Commercial	Medicare	Medicaid
<i>Replace the following measure/indicator:</i>	<i>With this measure/indicator:</i>			
Comprehensive Diabetes Care (CDC)–BP Control <140/90	Blood Pressure Control for Patients with Diabetes (BPD)	✓	✓	✓
Comprehensive Diabetes Care (CDC)–Eye Exams	Eye Exam for Patients with Diabetes (EED)	✓	✓	✓
Comprehensive Diabetes Care (CDC)–HbA1c Control <8%	Hemoglobin A1c Control for Patients with Diabetes (HBD)–HbA1c Control <8%	✓	✓	✓
Use of High-Risk Medications in Older Adults (DAE)–Rate 1	Use of High-Risk Medications in Older Adults (DAE)–Rate 3	Not applicable	✓	Not applicable

- **Comprehensive Diabetes Care (CDC).** For HEDIS MY 2022, NCQA separated the CDC indicators into individual, stand-alone measures. This change was in response to limitations in maintaining the separate indicators caused by grouping the measure. For example, the age range and required that exclusion criteria apply across the measure set; NCQA was previously unable to tailor them for each indicator. Despite the separation, the measure calculations remain the same. Therefore, NCQA recommends replacing the current CDC indicators in Ratings (i.e., HbA1c Control <8%, BP Control <140/90 and Eye Exams) with their stand-alone counterparts.
- **Use of High-Risk Medications in Older Adults (DAE).** The DAE measure assesses the percentage of Medicare members 65 years of age and older who had at least two dispensing events for the same high-risk medication. The measure was updated in HEDIS MY 2020 to add a new rate (Rate 2) to include two new medication classes in the measure—antipsychotics and benzodiazepines—and their corresponding diagnosis-based exclusions. Along with the new rate, a new total rate was added to reflect overall potentially inappropriate medication use in the older adult population.

NCQA recommends replacing Rate 1, which is currently used in HPR, with Rate 3, which captures the deduplicated total of Rates 1 and 2.

- **Recommendation #2:** Add the following new measures to HPR for scoring in 2023 (HEDIS MY 2022).

Measure		Commercial	Medicare	Medicaid
KED	Kidney Health Evaluation for Patients With Diabetes	✓	✓	✓
OSW	Osteoporosis Screening in Older Women	Not applicable	✓	Not applicable
CWP	Appropriate Testing for Pharyngitis	✓ (currently in HPR)	✓	✓ (currently in HPR)
URI	Appropriate Treatment for Upper Respiratory Infection	✓ (currently in HPR)	✓	✓ (currently in HPR)
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/ Bronchiolitis	✓ (currently in HPR)	✓	✓ (currently in HPR)
RDM	Race/Ethnicity Diversity of Membership	✓	✓	✓

- *Kidney Health Evaluation for Patients With Diabetes (KED)*. The KED measure was introduced in HEDIS MY 2020 and assesses the percentage of members 18–85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year. First-year analysis results indicate the measure meets NCQA’s feasibility, reliability and validity requirements, and that there is room for performance improvement across all product lines. Following review of first-year analysis results, the measure was recently approved by the Committee on Performance Measurement for public reporting beginning with MY 2021.
- *Osteoporosis Screening in Older Women (OSW)*. The OSW measure was introduced in HEDIS MY 2020 and assesses the percentage of women 65–75 years of age who ever received osteoporosis screening between their 65th birthday and the end of the current measurement year. First-year analysis results indicate the measure meets NCQA’s feasibility, reliability and validity requirements, and that there is room for performance improvement. Following review of first-year analysis results, the measure was recently approved by the CPM for public reporting beginning with MY 2021.
- *Appropriate Testing for Pharyngitis (CWP), Appropriate Treatment for Upper Respiratory Infection (URI) and Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)*. The CWP, URI and AAB measures are currently scored in HPR for the commercial and Medicaid product lines. To continue quality improvement efforts across a broader population, NCQA expanded them to include the Medicare product line for MY 2020. The CPM recently approved public reporting for the Medicare product line following review of first-year testing results, which indicated that Medicare plans met NCQA’s feasibility, reliability and validity requirements and that there is room for performance improvement.
- *Race/Ethnicity Diversity of Membership (RDM)*. RDM is a long-standing HEDIS measure and reports the number and percentage of members enrolled any time in the measurement year, by race and ethnicity. Advancing equity is fundamental to NCQA’s mission of improving the quality of health care. This includes identifying inequities in care and promoting health equity through performance measurement. RDM provides insight into the extent to which health plans are collecting race and ethnicity values for their members. Collection of this information is a necessary first step toward assessing and focusing quality improvement efforts to reduce disparities. For this reason, NCQA recommends adding RDM reporting as a first step to inclusion of equity in HPR.

**Proposed HPR 2023 Measure Count**

<b>HPR 2023 Measure Count</b>				
	<b>2022 Total</b>	<b>Remove*</b>	<b>Add</b>	<b>2023 Total</b>
<b>Commercial—HEDIS</b>	43	0	2	45
<b>Commercial—CAHPS</b>	8	0	0	8
<b>Medicare—HEDIS</b>	40	0	6	46
<b>Medicare—CAHPS</b>	7	0	0	7
<b>Medicaid—HEDIS</b>	43	0	2	45
<b>Medicaid—CAHPS</b>	7	0	0	7

*\*Does not factor in measure/indicator replacements from Recommendation #1 above.*

# **Proposed 2023 Health Plan Ratings Measure List for HEDIS MY 2022**

**HEDIS/CAHPS Measures Required for HP Accreditation—Commercial**

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
<b>Satisfaction With Plan Services</b>			
	Claims Processing (Usually + Always)	Handling claims	1.5
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
<b>PREVENTION AND EQUITY</b>			
<b>Children and Adolescent Well-Care</b>			
CIS	Childhood Immunization Status—Combination 10	Childhood immunizations	3
IMA	Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1
<b>Women’s Reproductive Health</b>			
PPC	Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Prenatal and Postpartum Care—Postpartum Care	Postpartum care	1
PRS	Prenatal Immunization Status—Combination Rate	Prenatal immunizations	1
<b>Equity</b>			
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	TBD
<b>Cancer Screening</b>			
BCS	Breast Cancer Screening	Breast cancer screening	1
COL	Colorectal Cancer Screening	Colorectal cancer screening	1
CCS	Cervical Cancer Screening	Cervical cancer screening	1
<b>Other Preventive Services</b>			
CHL	Chlamydia Screening in Women—Total	Chlamydia screening	1
FVA	Flu Vaccinations for Adults Ages 18-64	Flu shots	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight*
<b>TREATMENT</b>			
<b>Asthma</b>			
AMR	Asthma Medication Ratio—Total	Asthma control	1
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes—HbA1c Control (<8%) ( <b>NEW MEASURE</b> )	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—kidney health evaluation	1
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
<b>Behavioral Health</b>			
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
FUH	Follow-Up After Hospitalization for Mental Illness—7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total	Follow-up after ED for alcohol and other drug abuse or dependence	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
IET	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of AOD Treatment—Total	Alcohol or drug abuse or dependence treatment engaged	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight*
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
<b>Other Treatment Measures</b>			
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—Total	Acute hospital utilization	1
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—Total	Emergency department utilization	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
LBP	Use of Imaging Studies for Low Back Pain	Appropriate use of imaging studies for low back pain	1
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding continued opioid use	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.



**HEDIS/CAHPS Measures Required for HP Accreditation—Medicare**

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
<b>Satisfaction With Plan Services</b>			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
<b>PREVENTION AND EQUITY</b>			
BCS	Breast Cancer Screening—Total	Breast cancer screening	1
COL	Colorectal Cancer Screening—Total	Colorectal cancer screening	1
FVO	Flu Vaccinations for Adults Ages 65 and Older	Flu shots for adults ages 65 and older	1
PNU	Pneumococcal Vaccination Status for Older Adults	Pneumonia shots for adults ages 65 and older	1
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	TBD
<b>TREATMENT</b>			
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes — HbA1c Control (<8%) <i>(NEW MEASURE)</i>	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes <i>(NEW MEASURE)</i>	Patients with diabetes—kidney health evaluation	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight*
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
<b>Behavioral Health</b>			
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
FUH	Follow-Up After Hospitalization for Mental Illness—7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total	Follow-up after ED for alcohol and other drug abuse or dependence	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
IET	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of Treatment AOD—Total	Alcohol or drug abuse or dependence treatment engaged	1
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
<b>Other Treatment Measures</b>			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—65+ years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—65+ years	Emergency department utilization	1
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—65+ years	Acute hospital utilization	1
HPC	Hospitalization for Potentially Preventable Complications—Total ACSC—Observed-to-Expected Ratio—Total	Hospitalization for potentially preventable complications	1
HFS	Hospitalization Following Discharge From a Skilled Nursing Facility—30-Day—Total	Hospitalization following SNF discharge	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight*
FMC	Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions—65+ years	Follow-up after ED for multiple high-risk chronic conditions	1
FRM	Fall Risk Management	Managing risk of falls	1
PSA	Non-Recommended PSA-Based Screening in Older Men	Avoiding non-recommended prostate cancer screening in older men	1
DDE	Potentially Harmful Drug Disease Interactions in Older Adults—Total	Avoiding potentially harmful drug and disease interactions in older adults	1
DAE	Use of High-Risk Medications in Older Adults—Total Rate ( <b>NEW RATE</b> )	Avoiding high-risk medications for older adults	1
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding continued opioid use	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
TRC	Transitions of Care—Notification of Inpatient Admission—65+ years	Transitions of Care—notification of inpatient admission	1
	Transitions of Care—Receipt of Discharge Information—65+ years	Transitions of Care—receipt of discharge information	1
	Transitions of Care—Patient Engagement After Inpatient Discharge—65+ years	Transitions of Care—patient engagement after inpatient discharge	1
	Transitions of Care—Medication Reconciliation Post-Discharge—65+ years	Transitions of Care—medication reconciliation post-discharge	1
OMW	Osteoporosis Management in Women Who Had a Fracture	Managing osteoporosis in women after fracture	1
OSW	Osteoporosis Screening in Older Women ( <b>NEW MEASURE</b> )	Screening for osteoporosis in women	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total ( <b>NEW MEASURE</b> )	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
CWP	Appropriate Testing for Pharyngitis—Total ( <b>NEW MEASURE</b> )	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total ( <b>NEW MEASURE</b> )	Appropriate antibiotic use for colds	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

**HEDIS/CAHPS Measures Required for HP Accreditation—Medicaid**

Measure Name		Display Name	Weight*
<b>PATIENT EXPERIENCE</b>			
<b>Getting Care</b>			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
<b>Satisfaction With Plan Physicians</b>			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
<b>Satisfaction With Plan Services</b>			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
<b>PREVENTION AND EQUITY</b>			
<b>Children and Adolescent Well-Care</b>			
ADV	Annual Dental Visit—Total	Dental visits	1
CIS	Childhood Immunization Status—Combination 10	Childhood immunizations	3
IMA	Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1
<b>Women’s Reproductive Health</b>			
PPC	Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Prenatal and Postpartum Care—Postpartum Care	Postpartum care	1
PRS	Prenatal Immunization Status —Combination Rate	Prenatal immunizations	1
<b>Cancer Screening</b>			
BCS	Breast Cancer Screening	Breast cancer screening	1
CCS	Cervical Cancer Screening	Cervical cancer screening	1
<b>Equity</b>			
RDM	Race/Ethnicity Diversity of Membership <i>(NEW MEASURE)</i>	Race and ethnicity of members	TBD
<b>Other Preventive Services</b>			
CHL	Chlamydia Screening in Women—Total	Chlamydia screening	1
FVA	Flu Vaccinations for Adults Ages 18-64	Flu shots	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight*
<b>TREATMENT</b>			
<b>Asthma</b>			
AMR	Asthma Medication Ratio—Total	Asthma control	1
<b>Diabetes</b>			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes—HbA1c Control (<8%) ( <b>NEW MEASURE</b> )	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes ( <b>NEW MEASURE</b> )	Patients with diabetes—kidney health evaluation	1
<b>Heart Disease</b>			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
MSC	Medical Assistance With Smoking and Tobacco Use Cessation—Advising Smokers and Tobacco Users to Quit	Smoking advice	1
<b>Behavioral Health</b>			
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
FUH	Follow-Up After Hospitalization for Mental Illness—7 days	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total	Follow-up after ED for alcohol and other drug abuse or dependence	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
IET	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of AOD Treatment—Total	Alcohol or drug abuse or dependence treatment engaged	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
SSD	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	Diabetes screening for individuals with schizophrenia or bipolar disorder	1
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
<b>Other Treatment Measures</b>			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
LBP	Use of Imaging Studies for Low Back Pain	Appropriate use of imaging studies for low back pain	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1
HDO	Use of Opioids at High Dosage	Avoiding opioids at high dosage	1
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies	Avoiding opioids from multiple prescribers and multiple pharmacies	1
COU	Risk of Continued Opioid Use—31-day rate—Total	Avoiding continued opioid use	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1

\*The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.