

# 2022 Health Plan Ratings Required HEDIS<sup>®</sup>, CAHPS<sup>®</sup> and HOS Measures

## Commercial & Medicaid:

HEDIS MY 2021 & CAHPS MY 2021 (Reporting Year 2022)

## Medicare:

HEDIS MY 2021 (Reporting Year 2022)

CAHPS MY 2020 (Reporting Year 2021)

HOS MY 2020 (Reporting Year 2021)

## 2022 HPR REQUIRED HEDIS, CAHPS AND HOS MEASURES

### Summary of Changes to Measure List:

#### July 2021 Posting

- Added the following measures:

| Measure Name |   | Commercial                         | Medicare                           | Medicaid           |
|--------------|---|------------------------------------|------------------------------------|--------------------|
| SAA          | Adherence to Antipsychotic Medications for Individuals With Schizophrenia         | ✓                                  | ✓                                  | (currently in HPR) |
| FUI          | Follow-Up After High Intensity Care for Substance Use Disorder (7-Day Rate)       | ✓                                  | ✓                                  | ✓                  |
| HFS          | Hospitalization Following Discharge From a Skilled Nursing Facility (30-Day Rate) |                                    | ✓                                  |                    |
| POD          | Pharmacotherapy for Opioid Use Disorder   | ✓                                  | ✓                                  | ✓                  |
| PCR          | Plan All-Cause Readmissions   | (add back to HPR scoring for 2022) | (add back to HPR scoring for 2022) | ✓                  |
| PRS-E        | Prenatal Immunization Status (Combination Rate)                                   | ✓                                  |                                    | ✓                  |
| COU          | Risk of Continued Opioid Use—31-day rate  | (currently in HPR)                 | ✓                                  | (currently in HPR) |

#### July 2022 Posting

- After reviewing the MY 2021 data, the following measures were removed from 2022 HPR scoring due to insufficient data:
  - Claims Processing (commercial)
  - Rating of Specialist Seen Most Often (Medicaid)
  - Coordination of Care (Medicaid)

#### June 2022 Posting

- Added “potentially risky” to the Display Name for the Risk of Continued Opioid Use (COU) measure.

#### January 2022 Posting

- Added “-E” to the Prenatal Immunization Status (PRS) measure abbreviation to denote the Electronic Clinical Data System (ECDS) reporting method.

#### December 2021 Posting

- Added the COU measure to the Medicare product line in the “Measure Additions” table.
- Removed the footnote about the Emergency Department Utilization (EDU) measure pending public reporting status; EDU will be publicly reported and required for HPR 2022.
- Revised and consolidated the subcomposites for all three product lines.

**HEDIS/CAHPS Measures Required for HP Accreditation—Commercial***HEDIS MY 2021 & CAHPS MY 2021 (Reporting Year 2022)**Note: The weight column indicates the weight of the item (maximum value = 3) in the overall score calculation.*

| Measure Name                                    |  | Display Name                                   | Weight |
|---|--|--|--------|
| <b>PATIENT EXPERIENCE</b>                       |  |  |        |
| <b>Getting Care</b>                             |  |  |        |
|   | Getting Needed Care (Usually + Always)   | Getting care easily                            | 1.5    |
|   | Getting Care Quickly (Usually + Always)  | Getting care quickly                           | 1.5    |
| <b>Satisfaction With Plan Physicians</b>        |  |  |        |
|   | Rating of Personal Doctor (9 + 10)   | Rating of primary care doctor                  | 1.5    |
|   | Rating of Specialist Seen Most Often (9 + 10)  | Rating of specialists                          | 1.5    |
|   | Coordination of Care (Usually + Always)  | Coordination of care                           | 1.5    |
| <b>Satisfaction With Plan and Plan Services</b> |  |  |        |
|   | Rating of Health Plan (9 + 10)   | Rating of health plan                          | 1.5    |
|   | Rating of All Health Care (9 + 10)   | Rating of care                                 | 1.5    |
| <b>PREVENTION</b>                               |  |  |        |
| <b>Children and Adolescent Well-Care</b>        |  |  |        |
| CIS   | Childhood Immunization Status—Combination 10   | Childhood immunizations                        | 3      |
| IMA   | Immunizations for Adolescents—Combination 2  | Adolescent immunizations                       | 3      |
| WCC   | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total | BMI percentile assessment                      | 1      |
| <b>Women's Reproductive Health</b>              |  |  |        |
| PPC   | Prenatal and Postpartum Care—Timeliness of Prenatal Care   | Prenatal checkups                              | 1      |
|   | Prenatal and Postpartum Care—Postpartum Care   | Postpartum care                                | 1      |
| PRS-E   | Prenatal Immunization Status—Combination Rate  | Prenatal immunizations                         | 1      |
| <b>Cancer Screening</b>                         |  |  |        |
| BCS   | Breast Cancer Screening  | Breast cancer screening                        | 1      |
| COL   | Colorectal Cancer Screening  | Colorectal cancer screening                    | 1      |
| CCS   | Cervical Cancer Screening  | Cervical cancer screening                      | 1      |
| <b>Other Preventive Services</b>                |  |  |        |
| CHL   | Chlamydia Screening in Women—Total   | Chlamydia screening                            | 1      |
| FVA   | Flu Vaccinations for Adults Ages 18-64   | Flu shots                                      | 1      |
| <b>TREATMENT</b>                                |  |  |        |
| <b>Respiratory</b>                              |  |  |        |
| AMR   | Asthma Medication Ratio—Total  | Asthma control                                 | 1      |
| CWP   | Appropriate Testing for Pharyngitis—Total  | Appropriate testing and care for a sore throat | 1      |
| URI   | Appropriate Treatment for Upper Respiratory Infection—Total  | Appropriate antibiotic use for colds           | 1      |

| Measure Name   |   | Display Name  | Weight |
|--|---|---|--------|
| <b>TREATMENT</b>                                       |   |   |        |
| AAB  | Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total                                      | Appropriate antibiotic use for acute bronchitis/bronchiolitis               | 1      |
| PCE  | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid   | Steroid after hospitalization for acute COPD                                | 1      |
|  | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator  | Bronchodilator after hospitalization for acute COPD                         | 1      |
| <b>Diabetes</b>  |   |   |        |
| CDC  | Comprehensive Diabetes Care—Blood Pressure Control (<140/90)  | Blood pressure control (140/90)   | 3      |
|  | Comprehensive Diabetes Care—Eye Exams   | Eye exams   | 1      |
|  | Comprehensive Diabetes Care—HbA1c Control (<8%)   | Glucose control   | 3      |
| SPD  | Statin Therapy for Patients With Diabetes—Received Statin Therapy   | Patients with diabetes—received statin therapy                              | 1      |
|  | Statin Therapy for Patients With Diabetes—Statin Adherence 80%  | Patients with diabetes—statin adherence 80%                                 | 1      |
| <b>Heart Disease</b>                                   |   |   |        |
| SPC  | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total                           | Patients with cardiovascular disease—received statin therapy                | 1      |
|  | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total                              | Patients with cardiovascular disease—statin adherence 80%                   | 1      |
| CBP  | Controlling High Blood Pressure   | Controlling high blood pressure   | 3      |
| <b>Behavioral Health—Care Coordination</b>             |   |   |        |
| FUH  | Follow-Up After Hospitalization for Mental Illness—7 days—Total   | Follow-up after hospitalization for mental illness                          | 1      |
| FUM  | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total                                      | Follow-up after ED for mental illness                                       | 1      |
| FUA  | Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total          | Follow-up after ED for alcohol and other drug abuse or dependence           | 1      |
| FUI  | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total                                     | Follow-up after high-intensity care for substance use disorder              | 1      |
| <b>Behavioral Health—Medication Adherence</b>          |   |   |        |
| SAA  | Adherence to Antipsychotic Medications for Individuals With Schizophrenia                                       | Adherence to antipsychotic medications for individuals with schizophrenia   | 1      |
| AMM  | Antidepressant Medication Management—Effective Continuation Phase Treatment                                     | Patients with a new episode of depression—medication adherence for 6 months | 1      |
| POD  | Pharmacotherapy for Opioid Use Disorder—Total   | Patients with opioid use disorder—medication adherence for 6 months         | 1      |
| <b>Behavioral Health—Access, Monitoring and Safety</b> |   |   |        |
| APM  | Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total | Cholesterol and blood sugar testing for youth on antipsychotic medications  | 1      |

|                                  | Measure Name  | Display Name  | Weight |
|----------------------------------|---|---|--------|
| APP                              | Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total                            | First-line psychosocial care for youth on antipsychotic medications | 1      |
| ADD                              | Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase                             | Continued follow-up after ADHD diagnosis                            | 1      |
| IET                              | Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of AOD Treatment—Total | Alcohol or drug abuse or dependence treatment engaged               | 1      |
| <b>Risk-Adjusted Utilization</b> |   |   |        |
| AHU                              | Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—Total   | Acute hospital utilization  | 1      |
| PCR                              | Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years  | Plan all-cause readmissions   | 1      |
| EDU                              | Emergency Department Utilization—Observed-to-Expected Ratio—Total   | Emergency department utilization                                    | 1      |
| <b>Overuse of Opioids</b>        |   |   |        |
| HDO                              | Use of Opioids at High Dosage   | Avoiding opioids at high dosage                                     | 1      |
| UOP                              | Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies                                 | Avoiding opioids from multiple prescribers and multiple pharmacies  | 1      |
| COU                              | Risk of Continued Opioid Use—31-day rate—Total  | Avoiding potentially risky continued opioid use                     | 1      |
| <b>Other Treatment Measures</b>  |   |   |        |
| LBP                              | Use of Imaging Studies for Low Back Pain  | Appropriate use of imaging studies for low back pain                | 1      |

## HEDIS/CAHPS/HOS Measures Required for HP Accreditation—Medicare

HEDIS MY 2021 (Reporting Year 2022); CAHPS MY 2020 (Reporting Year 2021);  
HOS MY 2020 (Reporting Year 2021)

**Note:** The **weight** column indicates the weight of the item (maximum value = 3) in the overall score calculation.

| Measure Name                                    |   | Display Name  | Weight |
|---|---|---|--------|
| <b>PATIENT EXPERIENCE</b>                       |   |   |        |
| <b>Getting Care</b>                             |   |   |        |
| Getting Needed Care (Usually + Always)          |   | Getting care easily                                 | 1.5    |
| Getting Care Quickly (Usually + Always)         |   | Getting care quickly                                | 1.5    |
| <b>Satisfaction With Plan Physicians</b>        |   |   |        |
| Rating of Personal Doctor (9 + 10)              |   | Rating of primary care doctor                       | 1.5    |
| Rating of Specialist Seen Most Often (9 + 10)   |   | Rating of specialists                               | 1.5    |
| Coordination of Care (Usually + Always)         |   | Coordination of care                                | 1.5    |
| <b>Satisfaction With Plan and Plan Services</b> |   |   |        |
| Rating of Health Plan (9 + 10)                  |   | Rating of health plan                               | 1.5    |
| Rating of All Health Care (9 + 10)              |   | Rating of care                                      | 1.5    |
| <b>PREVENTION</b>                               |   |   |        |
| <b>Cancer Screening</b>                         |   |   |        |
| BCS   | Breast Cancer Screening—Total   | Breast cancer screening                             | 1      |
| COL   | Colorectal Cancer Screening—Total                                       | Colorectal cancer screening                         | 1      |
| <b>Other Preventive Services</b>                |   |   |        |
| FVO   | Flu Vaccinations for Adults Ages 65 and Older                           | Flu shots for adults ages 65 and older              | 1      |
| PNU   | Pneumococcal Vaccination Status for Older Adults                        | Pneumonia shots for adults ages 65 and older        | 1      |
| <b>TREATMENT</b>                                |   |   |        |
| <b>Respiratory</b>                              |   |   |        |
| PCE   | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid | Steroid after hospitalization for acute COPD        | 1      |
|   | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator          | Bronchodilator after hospitalization for acute COPD | 1      |
| <b>Diabetes</b>                                 |   |   |        |
| CDC   | Comprehensive Diabetes Care—Blood Pressure Control (<140/90)            | Blood pressure control (140/90)                     | 3      |
|   | Comprehensive Diabetes Care—Eye Exams—Total                             | Eye exams   | 1      |
|   | Comprehensive Diabetes Care—HbA1c Control (<8%)                         | Glucose control                                     | 3      |
| SPD   | Statin Therapy for Patients With Diabetes—Received Statin Therapy       | Patients with diabetes—received statin therapy      | 1      |
|   | Statin Therapy for Patients With Diabetes—Statin Adherence 80%          | Patients with diabetes—statin adherence 80%         | 1      |

| Measure Name   |   | Display Name  | Weight |
|--|---|---|--------|
| <b>TREATMENT</b>                                       |   |   |        |
| <b>Heart Disease</b>                                   |   |   |        |
| SPC  | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total                               | Patients with cardiovascular disease—received statin therapy                | 1      |
|  | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total                                  | Patients with cardiovascular disease—statin adherence 80%                   | 1      |
| CBP  | Controlling High Blood Pressure   | Controlling high blood pressure   | 3      |
| <b>Behavioral Health—Care Coordination</b>             |   |   |        |
| FUH  | Follow-Up After Hospitalization for Mental Illness—7 days—Total   | Follow-up after hospitalization for mental illness                          | 1      |
| FUM  | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total  | Follow-up after ED for mental illness                                       | 1      |
| FUA  | Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total              | Follow-up after ED for alcohol and other drug abuse or dependence           | 1      |
| FUI  | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total   | Follow-up after high-intensity care for substance use disorder              | 1      |
| <b>Behavioral Health—Medication Adherence</b>          |   |   |        |
| SAA  | Adherence to Antipsychotic Medications for Individuals With Schizophrenia   | Adherence to antipsychotic medications for individuals with schizophrenia   | 1      |
| POD  | Pharmacotherapy for Opioid Use Disorder—Total   | Patients with opioid use disorder—medication adherence for 6 months         | 1      |
| AMM  | Antidepressant Medication Management—Effective Continuation Phase Treatment   | Patients with a new episode of depression—medication adherence for 6 months | 1      |
| <b>Behavioral Health—Access, Monitoring and Safety</b> |   |   |        |
| IET  | Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of AOD Treatment—Total | Alcohol or drug abuse or dependence treatment engaged                       | 1      |
| <b>Patient Safety and Treatment for Older Adults</b>   |   |   |        |
| PSA  | Non-Recommended PSA-Based Screening in Older Men  | Avoiding non-recommended prostate cancer screening in older men             | 1      |
| DDE  | Potentially Harmful Drug Disease Interactions in Older Adults—Total   | Avoiding potentially harmful drug and disease interactions in older adults  | 1      |
| DAE  | Use of High-Risk Medications in Older Adults—High-Risk Medications to Avoid   | Avoiding high-risk medications for older adults                             | 1      |
| FRM  | Fall Risk Management  | Managing risk of falls  | 1      |
| OMW  | Osteoporosis Management in Women Who Had a Fracture   | Managing osteoporosis in women after fracture                               | 1      |

| Measure Name                     |  | Display Name   | Weight |
|----------------------------------|--|--|--------|
| <b>TREATMENT</b>                 |  |  |        |
| <b>Care Coordination</b>         |  |  |        |
| FMC                              | Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions—65+ years | Follow-up after ED for multiple high-risk chronic conditions       | 1      |
| TRC                              | Transitions of Care—Notification of Inpatient Admission—65+ years  | Transitions of Care—notification of inpatient admission            | 1      |
|                                  | Transitions of Care—Receipt of Discharge Information—65+ years   | Transitions of Care—receipt of discharge information               | 1      |
|                                  | Transitions of Care—Patient Engagement After Inpatient Discharge—65+ years                                 | Transitions of Care—patient engagement after inpatient discharge   | 1      |
|                                  | Transitions of Care—Medication Reconciliation Post-Discharge—65+ years                                     | Transitions of Care—medication reconciliation post-discharge       | 1      |
| <b>Risk-Adjusted Utilization</b> |  |  |        |
| PCR                              | Plan All-Cause Readmissions—Observed-to-Expected Ratio—65+ years   | Plan all-cause readmissions  | 1      |
| EDU                              | Emergency Department Utilization—Observed-to-Expected Ratio—65+ years                                      | Emergency department utilization                                   | 1      |
| AHU                              | Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—65+ years                                | Acute hospital utilization   | 1      |
| HPC                              | Hospitalization for Potentially Preventable Complications—Total ACSC—Observed-to-Expected Ratio—Total      | Hospitalization for potentially preventable complications          | 1      |
| HFS                              | Hospitalization Following Discharge From a Skilled Nursing Facility—30-Day—Total                           | Hospitalization following SNF discharge                            | 1      |
| <b>Overuse of Opioids</b>        |  |  |        |
| HDO                              | Use of Opioids at High Dosage  | Avoiding opioids at high dosage                                    | 1      |
| UOP                              | Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies                        | Avoiding opioids from multiple prescribers and multiple pharmacies | 1      |
| COU                              | Risk of Continued Opioid Use—31-day rate—Total   | Avoiding potentially risky continued opioid use                    | 1      |



**HEDIS/CAHPS Measures Required for HP Accreditation—Medicaid***HEDIS MY 2021 & CAHPS MY 2021 (Reporting Year 2022)**Note: The weight column indicates the weight of the item (maximum value = 3) in the overall score calculation.*

| Measure Name                                    |  | Display Name                  | Weight |
|---|--|-------------------------------|--------|
| <b>PATIENT EXPERIENCE</b>                       |  |                               |        |
| <b>Getting Care</b>                             |  |                               |        |
|   | Getting Needed Care (Usually + Always)   | Getting care easily           | 1.5    |
|   | Getting Care Quickly (Usually + Always)  | Getting care quickly          | 1.5    |
| <b>Satisfaction With Plan Physicians</b>        |  |                               |        |
|   | Rating of Personal Doctor (9 + 10)   | Rating of primary care doctor | 1.5    |
| <b>Satisfaction With Plan and Plan Services</b> |  |                               |        |
|   | Rating of Health Plan (9 + 10)   | Rating of health plan         | 1.5    |
|   | Rating of All Health Care (9 + 10)   | Rating of care                | 1.5    |
| <b>PREVENTION</b>                               |  |                               |        |
| <b>Children and Adolescent Well-Care</b>        |  |                               |        |
| ADV   | Annual Dental Visit—Total  | Dental visits                 | 1      |
| CIS   | Childhood Immunization Status—Combination 10   | Childhood immunizations       | 3      |
| IMA   | Immunizations for Adolescents—Combination 2  | Adolescent immunizations      | 3      |
| WCC   | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total | BMI percentile assessment     | 1      |
| <b>Women's Reproductive Health</b>              |  |                               |        |
| PPC   | Prenatal and Postpartum Care—Timeliness of Prenatal Care   | Prenatal checkups             | 1      |
|   | Prenatal and Postpartum Care—Postpartum Care   | Postpartum care               | 1      |
| PRS-E   | Prenatal Immunization Status —Combination Rate   | Prenatal immunizations        | 1      |
| <b>Cancer Screening</b>                         |  |                               |        |
| BCS   | Breast Cancer Screening  | Breast cancer screening       | 1      |
| CCS   | Cervical Cancer Screening  | Cervical cancer screening     | 1      |
| <b>Other Preventive Services</b>                |  |                               |        |
| CHL   | Chlamydia Screening in Women—Total   | Chlamydia screening           | 1      |
| FVA   | Flu Vaccinations for Adults Ages 18-64   | Flu shots                     | 1      |
| MSC   | Medical Assistance With Smoking and Tobacco Use Cessation—Advising Smokers and Tobacco Users to Quit               | Smoking advice                | 1      |

| Measure Name                               |  | Display Name  | Weight |
|--|--|---|--------|
| <b>TREATMENT</b>                           |  |   |        |
| <b>Respiratory</b>                         |  |   |        |
| AMR  | Asthma Medication Ratio—Total  | Asthma control  | 1      |
| CWP  | Appropriate Testing for Pharyngitis—Total  | Appropriate testing and care for a sore throat                    | 1      |
| URI  | Appropriate Treatment for Upper Respiratory Infection—Total  | Appropriate antibiotic use for colds                              | 1      |
| AAB  | Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total                             | Appropriate antibiotic use for acute bronchitis/bronchiolitis     | 1      |
| PCE  | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid                                | Steroid after hospitalization for acute COPD                      | 1      |
|  | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator   | Bronchodilator after hospitalization for acute COPD               | 1      |
| <b>Diabetes</b>                            |  |   |        |
| CDC  | Comprehensive Diabetes Care—Blood Pressure Control (<140/90)   | Blood pressure control (140/90)                                   | 3      |
|  | Comprehensive Diabetes Care—Eye Exams  | Eye exams   | 1      |
|  | Comprehensive Diabetes Care—HbA1c Control (<8%)  | Glucose control   | 3      |
| SPD  | Statin Therapy for Patients With Diabetes—Received Statin Therapy                                      | Patients with diabetes—received statin therapy                    | 1      |
|  | Statin Therapy for Patients With Diabetes—Statin Adherence 80%   | Patients with diabetes—statin adherence 80%                       | 1      |
| <b>Heart Disease</b>                       |  |   |        |
| SPC  | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total                  | Patients with cardiovascular disease—received statin therapy      | 1      |
|  | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total                     | Patients with cardiovascular disease—statin adherence 80%         | 1      |
| CBP  | Controlling High Blood Pressure  | Controlling high blood pressure                                   | 3      |
| <b>Behavioral Health—Care Coordination</b> |  |   |        |
| FUH  | Follow-Up After Hospitalization for Mental Illness—7 days  | Follow-up after hospitalization for mental illness                | 1      |
| FUM  | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total                             | Follow-up after ED for mental illness                             | 1      |
| FUA  | Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence—7 days—Total | Follow-up after ED for alcohol and other drug abuse or dependence | 1      |
| FUI  | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total                            | Follow-up after high-intensity care for substance use disorder    | 1      |

| Measure Name   |   | Display Name  | Weight |
|--|---|---|--------|
| <b>Behavioral Health—Medication Adherence</b>          |   |   |        |
| SAA  | Adherence to Antipsychotic Medications for Individuals With Schizophrenia   | Adherence to antipsychotic medications for individuals with schizophrenia   | 1      |
| AMM  | Antidepressant Medication Management—Effective Continuation Phase Treatment   | Patients with a new episode of depression—medication adherence for 6 months | 1      |
| POD  | Pharmacotherapy for Opioid Use Disorder—Total   | Patients with opioid use disorder—medication adherence for 6 months         | 1      |
| <b>Behavioral Health—Access, Monitoring and Safety</b> |   |   |        |
| APM  | Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total     | Cholesterol and blood sugar testing for youth on antipsychotic medications  | 1      |
| ADD  | Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase                             | Continued follow-up after ADHD diagnosis                                    | 1      |
| SSD  | Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications        | Diabetes screening for individuals with schizophrenia or bipolar disorder   | 1      |
| APP  | Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total                            | First-line psychosocial care for youth on antipsychotic medications         | 1      |
| IET  | Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment—Engagement of AOD Treatment—Total | Alcohol or drug abuse or dependence treatment engaged                       | 1      |
| <b>Risk-Adjusted Utilization</b>                       |   |   |        |
| PCR  | Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years  | Plan all-cause readmissions   | 1      |
| <b>Overuse of Opioids</b>                              |   |   |        |
| HDO  | Use of Opioids at High Dosage   | Avoiding opioids at high dosage   | 1      |
| UOP  | Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies                                 | Avoiding opioids from multiple prescribers and multiple pharmacies          | 1      |
| COU  | Risk of Continued Opioid Use—31-day rate—Total  | Avoiding potentially risky continued opioid use                             | 1      |
| <b>Other Treatment Measures</b>                        |   |   |        |
| LBP  | Use of Imaging Studies for Low Back Pain  | Appropriate use of imaging studies for low back pain                        | 1      |

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).