

**APPENDIX 1:
Proposed HEDIS/CAHPS Updates for
2023 and 2024 Health Plan Ratings**

Table of Contents

Appendix 1: Proposed HEDIS/CAHPS Updates for 2023 and 2024 Health Plan Ratings1
 Recommended Changes to HEDIS/CAHPS Measure List for Health Plan Ratings 2023.....3
 Recommended Changes to HEDIS/CAHPS Measure List for Health Plan Ratings 2024.....3

Proposed 2024 Health Plan Ratings Measure List for HEDIS MY 2023.....5
 HEDIS/CAHPS Measures Required for Health Plan Accreditation—Commercial6
 HEDIS MY 2023 & CAHPS MY 2023 (Reporting Year 2024)6
 HEDIS/CAHPS/HOS Measures Required for Health Plan Accreditation—Medicare9
 HEDIS MY 2023 (Reporting Year 2024); CAHPS MY 2022 (Reporting Year 2023);
 HOS MY 2022 (Reporting Year 2023).....9
 HEDIS/CAHPS Measures Required for Health Plan Accreditation—Medicaid12
 HEDIS MY 2023, CAHPS MY 2023 (Reporting Year 2024)12

Recommended Changes to HEDIS/CAHPS Measure List for Health Plan Ratings (HPR) 2023

Recommendation: Remove the following measures from HPR 2023.

Measure	Commercial	Medicare	Medicaid
Claims Processing	REMOVE		
Coordination of Care	KEEP	KEEP	REMOVE
Rating of Specialist	KEEP	KEEP	REMOVE

- **Claims Processing (Commercial), Coordination of Care (Medicaid), Rating of Specialist (Medicaid).** The CAHPS measures in the table above were all removed from Health Plan Ratings 2022 (MY 2021) scoring due to insufficient data reported in the product lines indicated. NCQA recommends permanent removal of these measures in Health Plan Ratings 2023 and beyond.

Recommended Changes to HEDIS/CAHPS Measure List for Health Plan Ratings (HPR) 2024

Recommendation 1: Revise the following measure for Health Plan Ratings 2024.

Replace...		With...		Commercial	Medicare	Medicaid
BCS	Breast Cancer Screening	BCS-E	ECDS reporting version of Breast Cancer Screening	✓	✓	✓

- **Breast Cancer Screening (BCS).** For HEDIS MY 2023, NCQA retired the Administrative reporting method for the BCS measure. When comparing measure performance rates generated from the Administrative Method to the ECDS Method, results showed minimal to no difference between the rates. Additionally, the use and sharing of electronic clinical data have the potential to enrich the information available to the health care team and to patients. For these reasons, NCQA recommends replacing the traditional BCS measure with the BCS-E measure specified for ECDS reporting for Health Plan Ratings 2024.

Recommendation 2: Remove the following measures from HPR 2024.

Measure	Commercial	Medicare	Medicaid
Use of Opioids at High Dosage (HDO)	✓	✓	✓
Use of Opioids From Multiple Providers (UOP)—Multiple Prescribers and Multiple Pharmacies rate	✓	✓	✓
Risk of Continued Opioid Use (COU)	✓	✓	✓
Flu Vaccinations for Adults Ages 18-64 (FVA)	✓		✓
Flu Vaccinations for Adults Ages 65 and Older (FVO)		✓	
Pneumococcal Vaccination Status for Older Adults (PNU)		✓	
Annual Dental Visit (ADV)			✓

- **Use of Opioids at High Dosage (HDO), Use of Opioids From Multiple Providers (UOP), Risk of Continued Opioid Use (COU).** The HDO and UOP measures were approved for Health Plan Ratings 2020, and COU was added in Health Plan Ratings 2021. Since then, NCQA has observed high performance and little variation among plans. NCQA recommends retiring these measures from the Health Plan Ratings.
- **Flu Vaccinations for Adults Ages 18–64 (FVA), Flu Vaccinations for Adults Ages 65 and Older (FVO), Pneumococcal Vaccination Status for Older Adults (PNU), Annual Dental Visit (ADV).** These measures are retired from the HEDIS measurement set effective with the MY 2023 specifications. NCQA recommends removing them from Health Plan Ratings 2024.

Recommendation 3: Add the following new measure to HPR 2024.

Measure		Commercial	Medicare	Medicaid
AIS-E	Adult Immunization Status	✓	✓	✓

- **Adult Immunization Status (AIS-E).** The AIS-E measure was introduced in HEDIS MY 2018; it assesses the percentage of members 19 years of age and older who are up to date on recommended routine vaccines for influenza, tetanus and diphtheria (Td) or tetanus, diphtheria and acellular pertussis (Tdap), zoster and pneumococcal. The inclusion of AIS-E will ensure that NCQA continues to capture influenza and pneumococcal immunizations that were previously captured in the FVA, FVO and PNU measures via survey data. Analysis results from recent data collection indicate the measure meets NCQA’s feasibility, reliability and validity requirements, and that there is room for performance improvement across all product lines. Following review of analysis results, the measure was approved for public reporting, beginning with MY 2022.

Proposed 2024 Health Plan Ratings Measure List for HEDIS MY 2023

HEDIS/CAHPS Measures Required for Health Plan Accreditation—Commercial**HEDIS MY 2023 & CAHPS MY 2023 (Reporting Year 2024)**

The “Weight” column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name	Display Name	Weight
PATIENT EXPERIENCE		
Getting Care		
Getting Needed Care (Usually + Always)	Getting care easily	1.5
Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
Satisfaction With Plan Physicians		
Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
Coordination of Care (Usually + Always)	Coordination of care	1.5
Satisfaction With Plan and Plan Services		
Claims Processing (Usually + Always) (REMOVE FROM HEALTH PLAN RATINGS 2023)	Handling claims	1.5
Rating of Health Plan (9 + 10)	Rating of health plan	1.5
Rating of All Health Care (9 + 10)	Rating of care	1.5
PREVENTION AND EQUITY		
Children and Adolescent Well-Care		
CIS Childhood Immunization Status—Combination 10	Childhood immunizations	3
IMA Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1
Women’s Reproductive Health		
PPC Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Postpartum care	1
PRS-E Prenatal Immunization Status—Combination Rate	Prenatal immunizations	1
Equity		
RDM Race/Ethnicity Diversity of Membership	Race and ethnicity of members	1
Cancer Screening		
BCS-E Breast Cancer Screening	Breast cancer screening	1
COL Colorectal Cancer Screening	Colorectal cancer screening	1
CCS Cervical Cancer Screening	Cervical cancer screening	1
Other Preventive Services		
CHL Chlamydia Screening in Women—Total	Chlamydia screening	1

Measure Name		Display Name	Weight
FVA	Flu Vaccinations for Adults Ages 18-64 (REMOVE FROM HEALTH PLAN RATINGS 2024)	Flu shots	4
AIS-E	Adult Immunization Status (NEW MEASURE FOR HEALTH PLAN RATINGS 2024)	Adult immunizations	1
TREATMENT			
Respiratory			
AMR	Asthma Medication Ratio—Total	Asthma control	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/ Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
Diabetes			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes— HbA1c Control (<8%)	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes— Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes— Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients With Diabetes	Patients with diabetes—kidney health evaluation	1
Heart Disease			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
Behavioral Health—Care Coordination			
FUH	Follow-Up After Hospitalization for Mental Illness— 7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1

Measure Name		Display Name	Weight
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
Behavioral Health—Medication Adherence			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1
Behavioral Health—Access, Monitoring and Safety			
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
IET	Initiation and Engagement of Substance Abuse Disorder—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1
Risk-Adjusted Utilization			
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—Total	Acute hospital utilization	1
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—Total	Emergency department utilization	1
Overuse of Opioids			
HDO	Use of Opioids at High Dosage (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding opioids at high dosage	4
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding opioids from multiple prescribers and multiple pharmacies	4
COU	Risk of Continued Opioid Use—31-day rate—Total (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding continued opioid use	4
Other Treatment Measures			
LBP	Use of Imaging Studies for Low Back Pain	Appropriate use of imaging studies for low back pain	1

HEDIS/CAHPS/HOS Measures Required for Health Plan Accreditation—Medicare

**HEDIS MY 2023 (Reporting Year 2024); CAHPS MY 2022 (Reporting Year 2023);
HOS MY 2022 (Reporting Year 2023)**

The “Weight” column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight
PATIENT EXPERIENCE			
Getting Care			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
Satisfaction With Plan Physicians			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10)	Rating of specialists	1.5
	Coordination of Care (Usually + Always)	Coordination of care	1.5
Satisfaction With Plan and Plan Services			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
PREVENTION AND EQUITY			
Cancer Screening			
BCS-E	Breast Cancer Screening—Total	Breast cancer screening	1
COL	Colorectal Cancer Screening—Total	Colorectal cancer screening	1
Other Preventive Services			
FVO	Flu Vaccinations for Adults Ages 65 and Older <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Flu shots for adults ages 65 and older	4
PNU	Pneumococcal Vaccination Status for Older Adults <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Pneumonia shots for adults ages 65 and older	4
AIS-E	Adult Immunization Status <i>(NEW MEASURE FOR HEALTH PLAN RATINGS 2024)</i>	Adult immunizations	1
Equity			
RDM	Race/Ethnicity Diversity of Membership	Race and ethnicity of members	1
TREATMENT			
Respiratory			
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1

Measure Name		Display Name	Weight
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/ Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1
Diabetes			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes— HbA1c Control (<8%)	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes— Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes— Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients With Diabetes	Patients with diabetes—kidney health evaluation	1
Heart Disease			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
Behavioral Health—Care Coordination			
FUH	Follow-Up After Hospitalization for Mental Illness— 7 days—Total	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
Behavioral Health—Medication Adherence			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder— medication adherence for 6 months	1

Measure Name		Display Name	Weight
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
Behavioral Health—Access, Monitoring and Safety			
IET	Initiation and Engagement of Substance Use Disorder—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1
Patient Safety and Treatment for Older Adults			
PSA	Non-Recommended PSA-Based Screening in Older Men	Avoiding non-recommended prostate cancer screening in older men	1
DDE	Potentially Harmful Drug Disease Interactions in Older Adults—Total	Avoiding potentially harmful drug and disease interactions in older adults	1
DAE	Use of High-Risk Medications in Older Adults—Total Rate (Rate 3)	Avoiding high-risk medications for older adults	1
FRM	Fall Risk Management	Managing risk of falls	1
OMW	Osteoporosis Management in Women Who Had a Fracture	Managing osteoporosis in women after fracture	1
OSW	Osteoporosis Screening in Older Women	Screening for osteoporosis in women	1
Care Coordination			
FMC	Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions—65+ years	Follow-up after ED for multiple high-risk chronic conditions	1
TRC	Transitions of Care—Notification of Inpatient Admission—65+ years	Transitions of Care—notification of inpatient admission	1
	Transitions of Care—Receipt of Discharge Information—65+ years	Transitions of Care—receipt of discharge information	1
	Transitions of Care—Patient Engagement After Inpatient Discharge—65+ years	Transitions of Care—patient engagement after inpatient discharge	1
	Transitions of Care—Medication Reconciliation Post-Discharge—65+ years	Transitions of Care—medication reconciliation post-discharge	1
Risk-Adjusted Utilization			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—65+ years	Plan all-cause readmissions	1
EDU	Emergency Department Utilization—Observed-to-Expected Ratio—65+ years	Emergency department utilization	1
AHU	Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—65+ years	Acute hospital utilization	1

Measure Name		Display Name	Weight
HPC	Hospitalization for Potentially Preventable Complications—Total ACSC—Observed-to-Expected Ratio—Total	Hospitalization for potentially preventable complications	1
HFS	Hospitalization Following Discharge From a Skilled Nursing Facility—30-Day—Total	Hospitalization following SNF discharge	1
Overuse of Opioids			
HDO	Use of Opioids at High Dosage (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding opioids at high dosage	4
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding opioids from multiple prescribers and multiple pharmacies	4
COU	Risk of Continued Opioid Use—31-day rate—Total (REMOVE FROM HEALTH PLAN RATINGS 2024)	Avoiding continued opioid use	4

HEDIS/CAHPS Measures Required for Health Plan Accreditation—Medicaid

HEDIS MY 2023, CAHPS MY 2023 (Reporting Year 2024)

The “Weight” column indicates the weight of the item (maximum value = 3) in the overall score calculation.

Measure Name		Display Name	Weight
PATIENT EXPERIENCE			
Getting Care			
	Getting Needed Care (Usually + Always)	Getting care easily	1.5
	Getting Care Quickly (Usually + Always)	Getting care quickly	1.5
Satisfaction With Plan Physicians			
	Rating of Personal Doctor (9 + 10)	Rating of primary care doctor	1.5
	Rating of Specialist Seen Most Often (9 + 10) (REMOVE FROM HEALTH PLAN RATINGS 2023)	Rating of specialists	1.5
	Coordination of Care (Usually + Always) (REMOVE FROM HEALTH PLAN RATINGS 2023)	Coordination of care	1.5
Satisfaction With Plan and Plan Services			
	Rating of Health Plan (9 + 10)	Rating of health plan	1.5
	Rating of All Health Care (9 + 10)	Rating of care	1.5
PREVENTION AND EQUITY			
Children and Adolescent Well-Care			
ADV	Annual Dental Visit—Total (REMOVE FROM HEALTH PLAN RATINGS 2024)	Dental visits	4
CIS	Childhood Immunization Status—Combination 10	Childhood immunizations	3

Measure Name		Display Name	Weight
IMA	Immunizations for Adolescents—Combination 2	Adolescent immunizations	3
WCC	Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total	BMI percentile assessment	1
Women’s Reproductive Health			
PPC	Prenatal and Postpartum Care—Timeliness of Prenatal Care	Prenatal checkups	1
	Prenatal and Postpartum Care—Postpartum Care	Postpartum care	1
PRS-E	Prenatal Immunization Status —Combination Rate	Prenatal immunizations	1
Cancer Screening			
BCS-E	Breast Cancer Screening	Breast cancer screening	1
CCS	Cervical Cancer Screening	Cervical cancer screening	1
Equity			
RDM	Race/Ethnicity Diversity of Membership	Race and ethnicity of members	1
Other Preventive Services			
CHL	Chlamydia Screening in Women—Total	Chlamydia screening	1
FVA	Flu Vaccinations for Adults Ages 18-64 <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Flu shots	4
MSC	Medical Assistance With Smoking and Tobacco Use Cessation—Advising Smokers and Tobacco Users to Quit	Smoking advice	1
AIS-E	Adult Immunization Status <i>(NEW MEASURE FOR HEALTH PLAN RATINGS 2024)</i>	Adult immunizations	1
TREATMENT			
Respiratory			
AMR	Asthma Medication Ratio—Total	Asthma control	1
CWP	Appropriate Testing for Pharyngitis—Total	Appropriate testing and care for a sore throat	1
URI	Appropriate Treatment for Upper Respiratory Infection—Total	Appropriate antibiotic use for colds	1
AAB	Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total	Appropriate antibiotic use for acute bronchitis/bronchiolitis	1
PCE	Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid	Steroid after hospitalization for acute COPD	1
	Pharmacotherapy Management of COPD Exacerbation—Bronchodilator	Bronchodilator after hospitalization for acute COPD	1

Measure Name		Display Name	Weight
Diabetes			
BPD	Blood Pressure Control (<140/90) for Patients With Diabetes	Patients with diabetes—blood pressure control (140/90)	3
EED	Eye Exam for Patients With Diabetes	Patients with diabetes—eye exams	1
HBD	Hemoglobin A1c Control for Patients With Diabetes—HbA1c Control (<8%)	Patients with diabetes—glucose control	3
SPD	Statin Therapy for Patients With Diabetes—Received Statin Therapy	Patients with diabetes—received statin therapy	1
	Statin Therapy for Patients With Diabetes—Statin Adherence 80%	Patients with diabetes—statin adherence 80%	1
KED	Kidney Health Evaluation for Patients with Diabetes	Patients with diabetes—kidney health evaluation	1
Heart Disease			
SPC	Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total	Patients with cardiovascular disease—received statin therapy	1
	Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total	Patients with cardiovascular disease—statin adherence 80%	1
CBP	Controlling High Blood Pressure	Controlling high blood pressure	3
Behavioral Health—Care Coordination			
FUH	Follow-Up After Hospitalization for Mental Illness—7 days	Follow-up after hospitalization for mental illness	1
FUM	Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total	Follow-up after ED for mental illness	1
FUA	Follow-Up After Emergency Department Visit for Substance Use—7 days—Total	Follow-up after ED for substance use disorder	1
FUI	Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total	Follow-up after high-intensity care for substance use disorder	1
Behavioral Health—Medication Adherence			
SAA	Adherence to Antipsychotic Medications for Individuals With Schizophrenia	Adherence to antipsychotic medications for individuals with schizophrenia	1
AMM	Antidepressant Medication Management—Effective Continuation Phase Treatment	Patients with a new episode of depression—medication adherence for 6 months	1
POD	Pharmacotherapy for Opioid Use Disorder—Total	Patients with opioid use disorder—medication adherence for 6 months	1

Measure Name		Display Name	Weight
Behavioral Health—Access, Monitoring and Safety			
APM	Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total	Cholesterol and blood sugar testing for youth on antipsychotic medications	1
ADD	Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase	Continued follow-up after ADHD diagnosis	1
SSD	Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	Diabetes screening for individuals with schizophrenia or bipolar disorder	1
APP	Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total	First-line psychosocial care for youth on antipsychotic medications	1
IET	Initiation and Engagement of Substance Use Disorder—Engagement of SUD Treatment—Total	Substance use disorder treatment engagement	1
Risk-Adjusted Utilization			
PCR	Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years	Plan all-cause readmissions	1
Overuse of Opioids			
HDO	Use of Opioids at High Dosage <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Avoiding opioids at high dosage	4
UOP	Use of Opioids from Multiple Providers—Multiple Prescribers and Multiple Pharmacies <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Avoiding opioids from multiple prescribers and multiple pharmacies	4
COU	Risk of Continued Opioid Use—31-day rate—Total <i>(REMOVE FROM HEALTH PLAN RATINGS 2024)</i>	Avoiding continued opioid use	4
Other Treatment Measures			
LBP	Use of Imaging Studies for Low Back Pain	Appropriate use of imaging studies for low back pain	1

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).

