

2025 Health Plan Ratings Required HEDIS[®], CAHPS[®] and HOS Measures

Commercial & Medicaid

HEDIS MY 2024 & CAHPS MY 2024 (Reporting Year 2025)

Medicare

HEDIS MY 2024 (Reporting Year 2025)

CAHPS MY 2023 (Reporting Year 2024)

HOS MY 2023 (Reporting Year 2024)

2025 HEALTH PLAN RATINGS (HPR) REQUIRED HEDIS, CAHPS AND HOS MEASURES

Summary of Changes to Measure List:

April 2024 Posting

- Revised the following measures/indicators:

| | | Commercial | Medicare | Medicaid |
|---|---|------------|----------|---|
| <i>Replace the following measure/indicator:</i> | <i>With this measure/indicator:</i> | | | |
| Hemoglobin A1c Control for Patients With Diabetes (HBD)— <i>HbA1c Control (<8%)</i> | Glycemic Status Assessment for Patients With Diabetes (GSD)— <i>Glycemic Status (<8%)</i> | ✓ | ✓ | ✓ |
| Colorectal Cancer Screening (COL) | ECDS reporting version of Colorectal Cancer Screening (COL-E) | ✓ | ✓ | ✓ <i>(new for Medicaid product line)</i> |
| Follow-Up Care for Children Prescribed ADHD Medication (ADD)— <i>Continuation & Maintenance Phase</i> | ECDS reporting version of Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)— <i>Continuation & Maintenance Phase</i> | ✓ | | ✓ |
| Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)— <i>Blood Glucose and Cholesterol Testing</i> | ECDS reporting version of Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)— <i>Blood Glucose and Cholesterol Testing</i> | ✓ | | ✓ |

- Added the following new measures:

| Measure Name | Commercial | Medicare | Medicaid |
|--|---|---|----------|
| Colorectal Cancer Screening (COL-E) | <i>(already in commercial product line)</i> | <i>(already in Medicare product line)</i> | ✓ |
| Use of Imaging Studies for Low Back Pain (LBP) | | ✓ | |
| Advance Care Planning (ACP) | | ✓ | |
| Language Diversity of Membership (LDM) | ✓ | ✓ | ✓ |

HEDIS/CAHPS Measures Required for HP Accreditation—Commercial

Note: The “Weight” column indicates the weight of the item (maximum value = 3) in the overall score calculation.

HEDIS MY 2024 & CAHPS MY 2024 (Reporting Year 2025)

| Measure Name | | Display Name | Weight |
|---|--|---------------------------------------|--------|
| PATIENT EXPERIENCE | | | |
| Getting Care | | | |
| | Getting Needed Care (Usually + Always) | Getting care easily | 1.5 |
| | Getting Care Quickly (Usually + Always) | Getting care quickly | 1.5 |
| Satisfaction With Plan Physicians | | | |
| | Rating of Personal Doctor (9 + 10) | Rating of primary care doctor | 1.5 |
| | Rating of Specialist Seen Most Often (9 + 10) | Rating of specialists | 1.5 |
| | Coordination of Care (Usually + Always) | Coordination of care | 1.5 |
| Satisfaction With Plan and Plan Services | | | |
| | Rating of Health Plan (9 + 10) | Rating of health plan | 1.5 |
| | Rating of All Health Care (9 + 10) | Rating of care | 1.5 |
| PREVENTION AND EQUITY | | | |
| Children and Adolescent Well-Care | | | |
| CIS | Childhood Immunization Status—Combination 10 | Childhood immunizations | 3 |
| IMA | Immunizations for Adolescents—Combination 2 | Adolescent immunizations | 3 |
| WCC | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total | BMI percentile assessment | 1 |
| Women’s Reproductive Health | | | |
| PPC | Prenatal and Postpartum Care—Timeliness of Prenatal Care | Prenatal checkups | 1 |
| | Prenatal and Postpartum Care—Postpartum Care | Postpartum care | 1 |
| PRS-E | Prenatal Immunization Status—Combination Rate | Prenatal immunizations | 1 |
| Equity | | | |
| RDM | Race/Ethnicity Diversity of Membership | Race and ethnicity of members | 1 |
| LDM | Language Diversity of Membership <i>(NEW MEASURE)</i> | Language preferences of members | 0.5 |
| Cancer Screening | | | |
| BCS-E | Breast Cancer Screening | Breast cancer screening | 1 |
| COL-E | Colorectal Cancer Screening—Total <i>(NEW REPORTING METHOD)</i> | Colorectal cancer screening | 1 |
| CCS | Cervical Cancer Screening | Cervical cancer screening | 1 |
| Other Preventive Services | | | |
| CHL | Chlamydia Screening in Women—Total | Chlamydia screening | 1 |
| AIS-E | Adult Immunization Status—Influenza—Total | Influenza immunizations for adults | 1 |
| | Adult Immunization Status—Td/Tdap—Total | Td/Tdap immunizations for adults | 1 |
| | Adult Immunization Status—Zoster—Total | Zoster immunizations for adults | 1 |
| | Adult Immunization Status—Pneumococcal—66+ | Pneumococcal immunizations for adults | 1 |

| Measure Name | | Display Name | Weight |
|---|---|---|--------|
| TREATMENT | | | |
| Respiratory | | | |
| AMR | Asthma Medication Ratio—Total | Asthma control | 1 |
| CWP | Appropriate Testing for Pharyngitis—Total | Appropriate testing and care for a sore throat | 1 |
| URI | Appropriate Treatment for Upper Respiratory Infection—Total | Appropriate antibiotic use for colds | 1 |
| AAB | Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total | Appropriate antibiotic use for acute bronchitis/bronchiolitis | 1 |
| PCE | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid | Steroid after hospitalization for acute COPD | 1 |
| | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator | Bronchodilator after hospitalization for acute COPD | 1 |
| Diabetes | | | |
| BPD | Blood Pressure Control for Patients With Diabetes | Patients with diabetes—blood pressure control (140/90) | 3 |
| EED | Eye Exam for Patients With Diabetes | Patients with diabetes—eye exams | 1 |
| GSD | Glycemic Status Assessment for Patients With Diabetes—Glycemic Status (<8%) <i>(NEW MEASURE)</i> | Patients with diabetes—glycemic status | 3 |
| SPD | Statin Therapy for Patients With Diabetes—Received Statin Therapy | Patients with diabetes—received statin therapy | 1 |
| | Statin Therapy for Patients With Diabetes—Statin Adherence 80% | Patients with diabetes—statin adherence 80% | 1 |
| KED | Kidney Health Evaluation for Patients with Diabetes—Total | Patients with diabetes—kidney health evaluation | 1 |
| Heart Disease | | | |
| SPC | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total | Patients with cardiovascular disease—received statin therapy | 1 |
| | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total | Patients with cardiovascular disease—statin adherence 80% | 1 |
| CBP | Controlling High Blood Pressure | Controlling high blood pressure | 3 |
| Behavioral Health—Care Coordination | | | |
| FUH | Follow-Up After Hospitalization for Mental Illness—7 days—Total | Follow-up after hospitalization for mental illness | 1 |
| FUM | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total | Follow-up after ED for mental illness | 1 |
| FUA | Follow-Up After Emergency Department Visit for Substance Use—7 days—Total | Follow-up after ED for substance use disorder | 1 |
| FUI | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total | Follow-up after high-intensity care for substance use disorder | 1 |
| Behavioral Health—Medication Adherence | | | |
| SAA | Adherence to Antipsychotic Medications for Individuals With Schizophrenia | Adherence to antipsychotic medications for individuals with schizophrenia | 1 |

| Measure Name | | Display Name | Weight |
|--|---|---|--------|
| AMM | Antidepressant Medication Management—Effective Continuation Phase Treatment | Patients with a new episode of depression—medication adherence for 6 months | 1 |
| POD | Pharmacotherapy for Opioid Use Disorder—Total | Patients with opioid use disorder—medication adherence for 6 months | 1 |
| Behavioral Health—Access, Monitoring and Safety | | | |
| APM-E | Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total (NEW REPORTING METHOD) | Cholesterol and blood sugar testing for youth on antipsychotic medications | 1 |
| APP | Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total | First-line psychosocial care for youth on antipsychotic medications | 1 |
| ADD-E | Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase (NEW REPORTING METHOD) | Continued follow-up after ADHD diagnosis | 1 |
| IET | Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total | Substance use disorder treatment engagement | 1 |
| Risk-Adjusted Utilization | | | |
| AHU | Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—Total | Acute hospital utilization | 1 |
| PCR | Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 years | Plan all-cause readmissions | 1 |
| EDU | Emergency Department Utilization—Observed-to-Expected Ratio—Total | Emergency department utilization | 1 |
| Other Treatment Measures | | | |
| LBP | Use of Imaging Studies for Low Back Pain—Total | Appropriate use of imaging studies for low back pain | 1 |

HEDIS/CAHPS/HOS Measures Required for HP Accreditation—Medicare

*HEDIS MY 2024 (Reporting Year 2025); CAHPS MY 2023 (Reporting Year 2024);
HOS MY 2023 (Reporting Year 2024)*

| Measure Name | | Display Name | Weight |
|---|--|-------------------------------|--------|
| PATIENT EXPERIENCE | | | |
| Getting Care | | | |
| Getting Needed Care (Usually + Always) | | Getting care easily | 1.5 |
| Getting Care Quickly (Usually + Always) | | Getting care quickly | 1.5 |
| Satisfaction With Plan Physicians | | | |
| Rating of Personal Doctor (9 + 10) | | Rating of primary care doctor | 1.5 |
| Rating of Specialist Seen Most Often (9 + 10) | | Rating of specialists | 1.5 |
| Coordination of Care (Usually + Always) | | Coordination of care | 1.5 |

| Measure Name | | Display Name | Weight |
|---|--|---|--------|
| Satisfaction With Plan and Plan Services | | | |
| Rating of Health Plan (9 + 10) | | Rating of health plan | 1.5 |
| Rating of All Health Care (9 + 10) | | Rating of care | 1.5 |
| PREVENTION AND EQUITY | | | |
| Cancer Screening | | | |
| BCS-E | Breast Cancer Screening | Breast cancer screening | 1 |
| COL-E | Colorectal Cancer Screening—Total (NEW REPORTING METHOD) | Colorectal cancer screening | 1 |
| Other Preventive Services | | | |
| AIS-E | Adult Immunization Status—Influenza—Total | Influenza immunizations for adults | 1 |
| | Adult Immunization Status—Td/Tdap—Total | Td/Tdap immunizations for adults | 1 |
| | Adult Immunization Status—Zoster—Total | Zoster immunizations for adults | 1 |
| | Adult Immunization Status—Pneumococcal—66+ | Pneumococcal immunizations for adults | 1 |
| Equity | | | |
| RDM | Race/Ethnicity Diversity of Membership | Race and ethnicity of members | 1 |
| LDM | Language Diversity of Membership (NEW MEASURE) | Language preferences of members | 0.5 |
| TREATMENT | | | |
| Respiratory | | | |
| CWP | Appropriate Testing for Pharyngitis—Total | Appropriate testing and care for a sore throat | 1 |
| URI | Appropriate Treatment for Upper Respiratory Infection—Total | Appropriate antibiotic use for colds | 1 |
| AAB | Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total | Appropriate antibiotic use for acute bronchitis/bronchiolitis | 1 |
| PCE | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid | Steroid after hospitalization for acute COPD | 1 |
| | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator | Bronchodilator after hospitalization for acute COPD | 1 |
| Diabetes | | | |
| BPD | Blood Pressure Control for Patients With Diabetes | Patients with diabetes—blood pressure control (140/90) | 3 |
| EED | Eye Exam for Patients With Diabetes | Patients with diabetes—eye exams | 1 |
| GSD | Glycemic Status Assessment for Patients With Diabetes—Glycemic Status (<8%) (NEW MEASURE) | Patients with diabetes—glycemic status | 3 |
| SPD | Statin Therapy for Patients With Diabetes—Received Statin Therapy | Patients with diabetes—received statin therapy | 1 |
| | Statin Therapy for Patients With Diabetes—Statin Adherence 80% | Patients with diabetes—statin adherence 80% | 1 |

| Measure Name | | Display Name | Weight |
|--|---|---|--------|
| KED | Kidney Health Evaluation for Patients with Diabetes—Total | Patients with diabetes—kidney health evaluation | 1 |
| Heart Disease | | | |
| SPC | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total | Patients with cardiovascular disease—received statin therapy | 1 |
| | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total | Patients with cardiovascular disease—statin adherence 80% | 1 |
| CBP | Controlling High Blood Pressure | Controlling high blood pressure | 3 |
| Behavioral Health—Care Coordination | | | |
| FUH | Follow-Up After Hospitalization for Mental Illness—7 days—Total | Follow-up after hospitalization for mental illness | 1 |
| FUM | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total | Follow-up after ED for mental illness | 1 |
| FUA | Follow-Up After Emergency Department Visit for Substance Use—7 days—Total | Follow-up after ED for substance use disorder | 1 |
| FUI | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total | Follow-up after high-intensity care for substance use disorder | 1 |
| Behavioral Health—Medication Adherence | | | |
| SAA | Adherence to Antipsychotic Medications for Individuals With Schizophrenia | Adherence to antipsychotic medications for individuals with schizophrenia | 1 |
| POD | Pharmacotherapy for Opioid Use Disorder—Total | Patients with opioid use disorder—medication adherence for 6 months | 1 |
| AMM | Antidepressant Medication Management—Effective Continuation Phase Treatment | Patients with a new episode of depression—medication adherence for 6 months | 1 |
| Behavioral Health—Access, Monitoring and Safety | | | |
| IET | Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total | Substance use disorder treatment engagement | 1 |
| Patient Safety and Treatment for Older Adults | | | |
| PSA | Non-Recommended PSA-Based Screening in Older Men | Avoiding non-recommended prostate cancer screening in older men | 1 |
| DDE | Potentially Harmful Drug Disease Interactions in Older Adults—Total | Avoiding potentially harmful drug and disease interactions in older adults | 1 |
| DAE | Use of High-Risk Medications in Older Adults—Total Rate (Rate 3) | Avoiding high-risk medications for older adults | 1 |
| FRM | Fall Risk Management—Managing Fall Risk | Managing risk of falls | 1 |
| OMW | Osteoporosis Management in Women Who Had a Fracture | Managing osteoporosis in women after fracture | 1 |
| OSW | Osteoporosis Screening in Older Women | Screening for osteoporosis in women | 1 |

| Measure Name | | Display Name | Weight |
|----------------------------------|---|--|--------|
| Care Coordination | | | |
| FMC | Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions—65+ | Follow-up after ED for multiple high-risk chronic conditions | 1 |
| TRC | Transitions of Care—Notification of Inpatient Admission—65+ | Transitions of Care—notification of inpatient admission | 1 |
| | Transitions of Care—Receipt of Discharge Information—65+ | Transitions of Care—receipt of discharge information | 1 |
| | Transitions of Care—Patient Engagement After Inpatient Discharge—65+ | Transitions of Care—patient engagement after inpatient discharge | 1 |
| | Transitions of Care—Medication Reconciliation Post-Discharge—65+ | Transitions of Care—medication reconciliation post-discharge | 1 |
| ACP | Advance Care Planning (New Measure) | Advance care planning | 1 |
| Risk-Adjusted Utilization | | | |
| PCR | Plan All-Cause Readmissions—Observed-to-Expected Ratio—65+ | Plan all-cause readmissions | 1 |
| EDU | Emergency Department Utilization—Observed-to-Expected Ratio—65+ | Emergency department utilization | 1 |
| AHU | Acute Hospital Utilization—Observed-to-Expected Ratio—Total Acute—65+ | Acute hospital utilization | 1 |
| HPC | Hospitalization for Potentially Preventable Complications—Total ACSC—Observed-to-Expected Ratio—Total | Hospitalization for potentially preventable complications | 1 |
| HFS | Hospitalization Following Discharge From a Skilled Nursing Facility—30-Day—Total | Hospitalization following SNF discharge | 1 |
| Other Treatment Measures | | | |
| LBP | Use of Imaging Studies for Low Back Pain—Total (NEW MEASURE) | Appropriate use of imaging studies for low back pain | 1 |

HEDIS/CAHPS Measures Required for HP Accreditation—Medicaid

HEDIS MY 2024 & CAHPS MY 2024 (Reporting Year 2025)

| Measure Name | | Display Name | Weight |
|---|--|-------------------------------|--------|
| PATIENT EXPERIENCE | | | |
| Getting Care | | | |
| Getting Needed Care (Usually + Always) | | Getting care easily | 1.5 |
| Getting Care Quickly (Usually + Always) | | Getting care quickly | 1.5 |
| Satisfaction With Plan Physicians | | | |
| Rating of Personal Doctor (9 + 10) | | Rating of primary care doctor | 1.5 |
| Satisfaction With Plan and Plan Services | | | |
| Rating of Health Plan (9 + 10) | | Rating of health plan | 1.5 |
| Rating of All Health Care (9 + 10) | | Rating of care | 1.5 |

| Measure Name | | Display Name | Weight |
|--|--|---|--------|
| PREVENTION AND EQUITY | | | |
| Children and Adolescent Well-Care | | | |
| CIS | Childhood Immunization Status—Combination 10 | Childhood immunizations | 3 |
| IMA | Immunizations for Adolescents—Combination 2 | Adolescent immunizations | 3 |
| WCC | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents—BMI Percentile—Total | BMI percentile assessment | 1 |
| Women's Reproductive Health | | | |
| PPC | Prenatal and Postpartum Care—Timeliness of Prenatal Care | Prenatal checkups | 1 |
| | Prenatal and Postpartum Care—Postpartum Care | Postpartum care | 1 |
| PRS-E | Prenatal Immunization Status—Combination Rate | Prenatal immunizations | 1 |
| Cancer Screening | | | |
| BCS-E | Breast Cancer Screening | Breast cancer screening | 1 |
| COL-E | Colorectal Cancer Screening—Total <i>(NEW MEASURE)</i> | Colorectal cancer screening | 1 |
| CCS | Cervical Cancer Screening | Cervical cancer screening | 1 |
| Equity | | | |
| RDM | Race/Ethnicity Diversity of Membership | Race and ethnicity of members | 1 |
| LDM | Language Diversity of Membership <i>(NEW MEASURE)</i> | Language preferences of members | 0.5 |
| Other Preventive Services | | | |
| CHL | Chlamydia Screening in Women—Total | Chlamydia screening | 1 |
| MSC | Medical Assistance With Smoking and Tobacco Use Cessation—Advising Smokers and Tobacco Users to Quit | Smoking advice | 1 |
| AIS-E | Adult Immunization Status—Influenza—Total | Influenza immunizations for adults | 1 |
| | Adult Immunization Status—Td/Tdap—Total | Td/Tdap immunizations for adults | 1 |
| | Adult Immunization Status—Zoster—Total | Zoster immunizations for adults | 1 |
| | Adult Immunization Status—Pneumococcal—66+ | Pneumococcal immunizations for adults | 1 |
| TREATMENT | | | |
| Respiratory | | | |
| AMR | Asthma Medication Ratio—Total | Asthma control | 1 |
| CWP | Appropriate Testing for Pharyngitis—Total | Appropriate testing and care for a sore throat | 1 |
| AAB | Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis—Total | Appropriate antibiotic use for acute bronchitis/bronchiolitis | 1 |

| Measure Name | | Display Name | Weight |
|--|---|---|--------|
| PCE | Pharmacotherapy Management of COPD Exacerbation—Systemic Corticosteroid | Steroid after hospitalization for acute COPD | 1 |
| | Pharmacotherapy Management of COPD Exacerbation—Bronchodilator | Bronchodilator after hospitalization for acute COPD | 1 |
| Diabetes | | | |
| BPD | Blood Pressure Control for Patients With Diabetes | Patients with diabetes—blood pressure control (140/90) | 3 |
| EED | Eye Exam for Patients With Diabetes | Patients with diabetes—eye exams | 1 |
| GSD | Glycemic Status Assessment for Patients With Diabetes—Glycemic Status (<8%) <i>(NEW MEASURE)</i> | Patients with diabetes—glycemic status | 3 |
| SPD | Statin Therapy for Patients With Diabetes—Received Statin Therapy | Patients with diabetes—received statin therapy | 1 |
| | Statin Therapy for Patients With Diabetes—Statin Adherence 80% | Patients with diabetes—statin adherence 80% | 1 |
| KED | Kidney Health Evaluation for Patients With Diabetes—Total | Patients with diabetes—kidney health evaluation | 1 |
| Heart Disease | | | |
| SPC | Statin Therapy for Patients With Cardiovascular Disease—Received Statin Therapy—Total | Patients with cardiovascular disease—received statin therapy | 1 |
| | Statin Therapy for Patients With Cardiovascular Disease—Statin Adherence 80%—Total | Patients with cardiovascular disease—statin adherence 80% | 1 |
| CBP | Controlling High Blood Pressure | Controlling high blood pressure | 3 |
| Behavioral Health—Care Coordination | | | |
| FUH | Follow-Up After Hospitalization for Mental Illness—7 days—Total | Follow-up after hospitalization for mental illness | 1 |
| FUM | Follow-Up After Emergency Department Visit for Mental Illness—7 days—Total | Follow-up after ED for mental illness | 1 |
| FUA | Follow-Up After Emergency Department Visit for Substance Use—7 days—Total | Follow-up after ED for substance use disorder | 1 |
| FUI | Follow-Up After High-Intensity Care for Substance Use Disorder—7 days—Total | Follow-up after high-intensity care for substance use disorder | 1 |
| Behavioral Health—Medication Adherence | | | |
| SAA | Adherence to Antipsychotic Medications for Individuals With Schizophrenia | Adherence to antipsychotic medications for individuals with schizophrenia | 1 |
| AMM | Antidepressant Medication Management—Effective Continuation Phase Treatment | Patients with a new episode of depression—medication adherence for 6 months | 1 |
| POD | Pharmacotherapy for Opioid Use Disorder—Total | Patients with opioid use disorder—medication adherence for 6 months | 1 |
| Behavioral Health—Access, Monitoring and Safety | | | |
| APM-E | Metabolic Monitoring for Children and Adolescents on Antipsychotics—Blood Glucose and Cholesterol Testing—Total <i>(NEW REPORTING METHOD)</i> | Cholesterol and blood sugar testing for youth on antipsychotic medications | 1 |

| | Measure Name | Display Name | Weight |
|----------------------------------|--|---|--------|
| ADD-E | Follow-Up Care for Children Prescribed ADHD Medication—Continuation & Maintenance Phase <i>(NEW REPORTING METHOD)</i> | Continued follow-up after ADHD diagnosis | 1 |
| SSD | Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications | Diabetes screening for individuals with schizophrenia or bipolar disorder | 1 |
| APP | Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics—Total | First-line psychosocial care for youth on antipsychotic medications | 1 |
| IET | Initiation and Engagement of Substance Use Disorder Treatment—Engagement of SUD Treatment—Total | Substance use disorder treatment engagement | 1 |
| Risk-Adjusted Utilization | | | |
| PCR | Plan All-Cause Readmissions—Observed-to-Expected Ratio—18-64 | Plan all-cause readmissions | 1 |
| Other Treatment Measures | | | |
| LBP | Use of Imaging Studies for Low Back Pain—Total | Appropriate use of imaging studies for low back pain | 1 |

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

CAHPS® is a registered trademark of the Agency for Healthcare Research and Quality (AHRQ).