

## Follow-Up After Emergency Department Visit for Mental Illness (FUM)\*

\*Adapted from an NCQA measure with financial support from the Office of the Assistant Secretary for Planning and Evaluation (ASPE) under Prime Contract No. HHSP23320100019WI/HHSP23337001T, in which NCQA was a subcontractor to Mathematica. Additional financial support was provided by the Substance Abuse and Mental Health Services Administration (SAMHSA).

### SUMMARY OF CHANGES TO HEDIS MY 2024

- Added instructions to report rates stratified by race and ethnicity for each product line.

### Description

The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness. Two rates are reported:

1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days).
2. The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).

### Eligible Population

<b>Product lines</b>	Commercial, Medicaid, Medicare (report each product line separately).
<b>Stratifications</b>	<p>For each product line, report the following stratifications by race and total, and stratifications by ethnicity and total:</p> <ul style="list-style-type: none"><li>• <i>Race</i>:<ul style="list-style-type: none"><li>– American Indian or Alaska Native.</li><li>– Asian.</li><li>– Black or African American.</li><li>– Native Hawaiian or Other Pacific Islander.</li><li>– White.</li><li>– Some Other Race.</li><li>– Two or More Races.</li><li>– Asked But No Answer.</li><li>– Unknown.</li><li>– Total.</li></ul></li><li>• <i>Ethnicity</i>:<ul style="list-style-type: none"><li>– Hispanic or Latino.</li><li>– Not Hispanic or Latino.</li><li>– Asked But No Answer.</li><li>– Unknown.</li><li>– Total.</li></ul></li></ul>

**Note:** Stratifications are mutually exclusive, and the sum of all categories in each stratification is the total population.

<b>Ages</b>	<p>6 years and older as of the date of the ED visit. Report three age stratifications and a total rate:</p> <ul style="list-style-type: none"> <li>• 6–17 years.</li> <li>• 18–64 years.</li> <li>• 65 years and older.</li> <li>• Total.</li> </ul> <p>The total is the sum of the age stratifications.</p>
<b>Continuous enrollment</b>	Date of the ED visit through 30 days after the ED visit (31 total days).
<b>Allowable gap</b>	None.
<b>Anchor date</b>	None.
<b>Benefit</b>	Medical and mental health.
<b>Event/diagnosis</b>	<p>An ED visit (<u>ED Value Set</u>) with a principal diagnosis of mental illness or intentional self-harm (<u>Mental Illness and Intentional Self-Harm Value Set</u>) on or between January 1 and December 1 of the measurement year where the member was 6 years or older on the date of the visit.</p> <p>The denominator for this measure is based on ED visits, not on members. If a member has more than one ED visit, identify all eligible ED visits between January 1 and December 1 of the measurement year and do not include more than one visit per 31-day period as described below.</p>
<b>Multiple visits in a 31-day period</b>	<p>If a member has more than one ED visit in a 31-day period, include only the first eligible ED visit. For example, if a member has an ED visit on January 1, include the January 1 visit and do not include ED visits that occur on or between January 2 and January 31; then, if applicable, include the next ED visit that occurs on or after February 1. Identify visits chronologically, including only one per 31-day period.</p> <p><b>Note:</b> Removal of multiple visits in a 31-day period is based on <b>eligible</b> visits. Assess each ED visit for exclusions before removing multiple visits in a 31-day period.</p>
<b>ED visits followed by inpatient admission</b>	<p>Exclude ED visits that result in an inpatient stay. Exclude ED visits followed by admission to an acute or nonacute inpatient care setting on the date of the ED visit or within the 30 days after the ED visit (31 total days), regardless of the principal diagnosis for the admission. To identify admissions to an acute or nonacute inpatient care setting:</p> <ol style="list-style-type: none"> <li>1. Identify all acute and nonacute inpatient stays (<u>Inpatient Stay Value Set</u>).</li> <li>2. Identify the admission date for the stay.</li> </ol> <p>These events are excluded from the measure because admission to an acute or nonacute inpatient setting may prevent an outpatient follow-up visit from taking place.</p>
<b>Required exclusions</b>	<p>Exclude members who meet either of the following criteria:</p> <ul style="list-style-type: none"> <li>• Members who use hospice services (<u>Hospice Encounter Value Set</u>; <u>Hospice Intervention Value Set</u>) or elect to use a hospice benefit any time during the measurement year. Organizations that use the Monthly Membership Detail Data File to identify these members must use only the</li> </ul>

run date of the file to determine if the member elected to use a hospice benefit during the measurement year.

- Members who die any time during the measurement year.

## Administrative Specification

**Denominator**      The eligible population.

### Numerators

**30-Day Follow-Up**      A follow-up visit with any practitioner, with a principal diagnosis of a mental health disorder or with a principal diagnosis of intentional self-harm and any diagnosis of a mental health disorder within 30 days after the ED visit (31 total days). Include visits that occur on the date of the ED visit.

**7-Day Follow-Up**      A follow-up visit with any practitioner, with a principal diagnosis of a mental health disorder or with a principal diagnosis of intentional self-harm and any diagnosis of a mental health disorder within 7 days after the ED visit (8 total days). Include visits that occur on the date of the ED visit.

For both indicators, any of the following meet criteria for a follow-up visit.

- An outpatient visit (Visit Setting Unspecified Value Set **with** Outpatient POS Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An outpatient visit (BH Outpatient Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An intensive outpatient encounter or partial hospitalization (Visit Setting Unspecified Value Set) **with** POS code 52 **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An intensive outpatient encounter or partial hospitalization (Partial Hospitalization or Intensive Outpatient Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A community mental health center visit (Visit Setting Unspecified Value Set) **with** POS code 53 **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- Electroconvulsive therapy (Electroconvulsive Therapy Value Set) **with** (Outpatient POS Value Set; POS code 24; POS code 52; POS code 53) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A telehealth visit (Visit Setting Unspecified Value Set **with** Telehealth POS Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A telephone visit (Telephone Visits Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An e-visit or virtual check-in (Online Assessments Value Set) **with** a principal diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).

- An outpatient visit (Visit Setting Unspecified Value Set **with** Outpatient POS Value Set) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An outpatient visit (BH Outpatient Value Set) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An intensive outpatient encounter or partial hospitalization (Visit Setting Unspecified Value Set) **with** POS code 52 **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An intensive outpatient encounter or partial hospitalization (Partial Hospitalization or Intensive Outpatient Value Set) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A community mental health center visit (Visit Setting Unspecified Value Set) **with** POS code 53 **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- Electroconvulsive therapy (Electroconvulsive Therapy Value Set) **with** (Outpatient POS Value Set; POS code 24; POS code 52; POS code 53), **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A telehealth visit (Visit Setting Unspecified Value Set) **with** Telehealth POS Value Set **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- A telephone visit (Telephone Visits Value Set) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).
- An e-visit or virtual check-in (Online Assessments Value Set) **with** a principal diagnosis of intentional self-harm (Intentional Self-Harm Value Set) **with** any diagnosis of a mental health disorder (Mental Health Diagnosis Value Set).

---

**Note**

- *Organizations may have different methods for billing intensive outpatient visits and partial hospitalizations. Some methods may be comparable to outpatient billing, with separate claims for each date of service; others may be comparable to inpatient billing, with an admission date, a discharge date and units of service. Organizations whose billing methods are comparable to inpatient billing may count each unit of service as an individual visit. The unit of service must have occurred during the required period for the rate (within 30 days after the ED visit or within 7 days after the ED visit).*

**Data Elements for Reporting**

Organizations that submit HEDIS data to NCQA must provide the following data elements.

**Table FUM-A-1/2/3: Data Elements for Follow-Up After Emergency Department Visit for Mental Illness**

Metric	Age	Data Element	Reporting Instructions
FollowUp30Day	6-17	Benefit	Metadata
FollowUp7Day	18-64	EligiblePopulation	For each Stratification, repeat per Metric
	65+	ExclusionAdminRequired	For each Stratification, repeat per Metric
	Total	NumeratorByAdmin	For each Metric and Stratification
		NumeratorBySupplemental	For each Metric and Stratification
		Rate	(Percent)

**Table FUM-B-1/2/3: Data Elements for Follow-Up After Emergency Department Visit for Mental Illness:  
Stratifications by Race**

Metric	Race	Source	Data Element	Reporting Instructions
FollowUp30Day	AmericanIndianOrAlaskaNative	Direct	EligiblePopulation	For each Stratification, repeat per Metric
FollowUp7Day	Asian	Indirect	Numerator	For each Metric and Stratification
	BlackOrAfricanAmerican	Unknown**	Rate	(Percent)
	NativeHawaiianOrOtherPacificIslander	Total		
	White			
	SomeOtherRace			
	TwoOrMoreRaces			
	AskedButNoAnswer*			
	Unknown**			

**Table FUM-C-1/2/3: Data Elements for Follow-Up After Emergency Department Visit for Mental Illness:  
Stratifications by Ethnicity**

Metric	Ethnicity	Source	Data Element	Reporting Instructions
FollowUp30Day	HispanicOrLatino	Direct	EligiblePopulation	For each Stratification, repeat per Metric
FollowUp7Day	NotHispanicOrLatino	Indirect	Numerator	For each Metric and Stratification
	AskedButNoAnswer*	Unknown**	Rate	(Percent)
	Unknown**	Total		

\*AskedButNoAnswer is only reported for Source= "Direct."

\*\*Race/Ethnicity= "Unknown" is only reported for Source= "Unknown" and Source= "Unknown" is only reported for Race/Ethnicity= "Unknown."

## Rules for Allowable Adjustments of HEDIS

The “Rules for Allowable Adjustments of HEDIS” (the “Rules”) describe how NCQA’s HEDIS measure specifications can be adjusted for other populations, if applicable. The Rules, reviewed and approved by NCQA measure experts, provide for expanded use of HEDIS measures without changing their clinical intent.

**Adjusted HEDIS measures may not be used for HEDIS health plan reporting.**

### Rules for Allowable Adjustments of Follow-Up After Emergency Department Visit for Mental Illness

NONCLINICAL COMPONENTS		
Eligible Population	Adjustments Allowed (Yes/No)	Notes
Product lines	Yes	Organizations are not required to use product line criteria; product lines may be combined and all (or no) product line criteria may be used.
Ages	Yes	Age determination dates may be changed (6 years as of the date of the ED visit). Changing the denominator age range is allowed.
Continuous enrollment, allowable gap, anchor date	Yes	Organizations are not required to use enrollment criteria; adjustments are allowed.
Benefits	Yes	Organizations are not required to use a benefit; adjustments are allowed.
Other	Yes	Organizations may use additional eligible population criteria to focus on an area of interest defined by gender, race, ethnicity, socioeconomic or sociodemographic characteristics, geographic region or another characteristic.
CLINICAL COMPONENTS		
Eligible Population	Adjustments Allowed (Yes/No)	Notes
Event/diagnosis	Yes, with limits	Only events or diagnoses that contain (or map to) codes in the value sets may be used to identify visits with a diagnosis. Value sets and logic may not be changed. <b>Note:</b> Organizations may assess at the member level by applying measure logic appropriately (i.e., percentage of members with documentation of an ED visit with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness).
Denominator Exclusions	Adjustments Allowed (Yes/No)	Notes
Required exclusions	Yes	The hospice and deceased member exclusions are not required. Refer to <i>Exclusions</i> in the <i>Guidelines for the Rules for Allowable Adjustments</i> .
Numerator Criteria	Adjustments Allowed (Yes/No)	Notes
<ul style="list-style-type: none"> <li>30-Day Follow-Up</li> <li>7-Day Follow-Up</li> </ul>	No	Value sets and logic may not be changed.